

DARK GRAY, IVORY,  
LIGHT GRAY



## TESTING DATA

Water Absorption: 0.08%  
Flexural Strength: 50 N/mm<sup>2</sup>  
Frost Resistance: Resistant  
Stain Resistance: Class 5

Slip Resistance: Not Applicable  
DCOF: >0.42

## APPLICATION

Coping: No  
Countertop: Yes  
Exterior Cladding: Yes  
Exterior Countertop: Yes  
Exterior Tile: No

Exterior Paver: No  
Floor: Yes  
Shower/ Wet Areas: Yes  
Wall: Yes

## PACKING DETAILS

63" x 126"- 1 pc/ 55.11 sf/ box

## INFORMATION

Special trims available upon request. Please contact [info@thorntreeslate.com](mailto:info@thorntreeslate.com) for additional information.



### TESTING DATA

Water Absorption: 0.08%  
Flexural Strength: 50 N/mm<sup>2</sup>  
Frost Resistance: Resistant  
Stain Resistance: Class 5

Slip Resistance: Not Applicable  
DCOF: >0.42

### APPLICATION

Coping: No  
Countertop: Yes  
Exterior Cladding: Yes  
Exterior Countertop: Yes  
Exterior Tile: No

Exterior Paver: No  
Floor: Yes  
Shower/ Wet Areas: Yes  
Wall: Yes


### PACKING DETAILS

63" x 126"- 1 pc/ 55.11 sf/ box

### INFORMATION

Special trims available upon request. Please contact [info@thorntreeslate.com](mailto:info@thorntreeslate.com) for additional information.

BIANCO LASA, BREACH, CALACATTA, CALACATTA  
GOLD, CAPRAIA, ETERNAL GOLD, ETERNAL WHITE,  
GRAY, LAURENT, MARQUINIA, STATUARIO, WHITE,  
YAMUNA



## TESTING DATA

Water Absorption: 0.08%  
Flexural Strength: 50 N/mm<sup>2</sup>  
Frost Resistance: Resistant  
Stain Resistance: Class 5

Slip Resistance: Not Applicable  
DCOF: >0.42

## APPLICATION

Coping: No  
Countertop: Yes  
Exterior Cladding: Yes  
Exterior Countertop: Yes  
Exterior Tile: No

Exterior Paver: No  
Floor: Yes  
Shower/ Wet Areas: Yes  
Wall: Yes

## PACKING DETAILS

63" x 126"- 1 pc/ 55.11 sf/ box

## INFORMATION

Special trims available upon request. Please contact [info@thorntreeslate.com](mailto:info@thorntreeslate.com) for additional information.





### TESTING DATA

Water Absorption: 0.08%  
Flexural Strength: 50 N/mm<sup>2</sup>  
Frost Resistance: Resistant  
Stain Resistance: Class 5

Slip Resistance: Not Applicable  
DCOF: >0.42

### APPLICATION

Coping: No  
Countertop: Yes  
Exterior Cladding: Yes  
Exterior Countertop: Yes  
Exterior Tile: No

Exterior Paver: No  
Floor: Yes  
Shower/ Wet Areas: Yes  
Wall: Yes

### PACKING DETAILS


63" x 126"- 1 pc/ 55.11 sf/ box

### INFORMATION

Special trims available upon request. Please contact [info@thorntreeslate.com](mailto:info@thorntreeslate.com) for additional information.



PURE WHITE, SOLID CLAY,  
SOLID GRAPHITE



## TESTING DATA

Water Absorption: 0.08%  
Flexural Strength: 50 N/mm<sup>2</sup>  
Frost Resistance: Resistant  
Stain Resistance: Class 5

Slip Resistance: Not Applicable  
DCOF: >0.42

## APPLICATION

Coping: No  
Countertop: Yes  
Exterior Cladding: Yes  
Exterior Countertop: Yes  
Exterior Tile: No

Exterior Paver: No  
Floor: Yes  
Shower/ Wet Areas: Yes  
Wall: Yes

## PACKING DETAILS

63" x 126"- 1 pc/ 55.11 sf/ box

## INFORMATION

Special trims available upon request. Please contact [info@thorntreeslate.com](mailto:info@thorntreeslate.com) for additional information.

ALPINE BROWN, ALPINE GREY, FOSSIL GREY,  
FOSSIL IVORY, STONE BROWN, STONE GRIS,  
STONE NOIR



## TESTING DATA

Water Absorption: 0.08%  
Flexural Strength: 50 N/mm<sup>2</sup>  
Frost Resistance: Resistant  
Stain Resistance: Class 5

Slip Resistance: Not Applicable  
DCOF: >0.42

## APPLICATION

Coping: No  
Countertop: Yes  
Exterior Cladding: Yes  
Exterior Countertop: Yes  
Exterior Tile: No

Exterior Paver: No  
Floor: Yes  
Shower/ Wet Areas: Yes  
Wall: Yes

## PACKING DETAILS

63" x 126"- 1 pc/ 55.11 sf/ box

## INFORMATION

Special trims available upon request. Please contact [info@thorntreeslate.com](mailto:info@thorntreeslate.com) for additional information.