


3LATI



TRAVELLING FAR AND BACK


We adore ideas that promise to carry us far away. Lively, imaginative ideas that can generate others and create a chain reaction. This is why we design ceramics that can evolve, cross borders and travel far.

We started from the triangle and its solid, unshakable perfection. An essential, elementary shape. Then came the colour and, after that, the movement. Step by step, meticulously dosing every change in tone.

Now these forms have multiplied. Ideas lead to new ideas, expanding precipitately. When we create something unprecedented, it always happens this way: a tremor rocks reality, filling it with new energy.

All our collections are a combination of internal references and transversal constants: a colour that binds the collections together, a size that distinguishes them or the sensation of one surface that recalls another.

We pursue ideas that travel far and then return with even more character than when they left.





3LATI

White body wall tiles

13,2X11,4CM
5.2"X4.5"

9MM

3LATI

This wall tile collection uses the triangle as the base element of a meticulous, infinitely modular style.

The colours create sophisticated graphic patterns, with both powerful contrasts and delicate shifts in tone.

Every hue, in fact, exists in a range of different intensities.

The gloss glaze of the surface and its soft and fluid structure, collects and reflects light and slivers of colour.

The surface structure, colours and side lengths can all be combined with the RIQUADRI collection.



3lati rosa






3lati bianco, grigio chiaro, grigio medio, carta da zucchero
logica base grigio



3lati bianco, grigio chiaro, grigio medio, grigio scuro, rosa, acquamarina



3lati acquamarina




3lati grigio scuro, riquadri base grigio scuro
legnetti bianco



3lati bianco, riquadri base bianco
legnetti bianco



3lati bianco, grigio medio, carta da zucchero, rosa




3lati oro, acciaio, bronzo




3lati oro
legnetti beige



3lati acciaio
legnetti beige



3lati bronzo



*tiles with metallic glaze and crackle effect

Packaging

formato(cm) size(cm)	Pz	Mq	Kg
3lati 13,2x11,4	30	0,23	3,67

box










formato(cm) size(cm)	Box	Mq	Kg
3lati 13,2x11,4	126	28,98	482

pallet



Sizing





COLOUR FORM MATTER

The idea we started from has come a long way and crossed many borders. It has developed into a multicollection style project that offers numerous key perspectives. One of these, and perhaps the main one, is colour.

The entire project is founded on white, powder blue, pink, grey and green that bring a sense of harmony to every shape, colour and matter. As its transversal allusions and internal echoes are both subtle and strong enough to match black and yellow ochre, metal and wood.


When combined, these elements create a solid and balanced style code that is so consistent, the range could almost be a single, grand collection. A single, grand collection with transversal echoes and allusions.




bianco logica, tinte, 3lati, riquadri, legnetti



carta da zucchero logica, tinte, 3lati, riquadri, legnetti



acquamarina logica, tinte, 3lati



rosa logica, tinte, 3lati



grigio logica, tinte, 3lati, riquadri, legnetti



mix colori logica, tinte, 3lati, riquadri, legnetti

TECHNICAL FEATURES

		white body wall tiles		
		standard	required standards	3LATI
dimensions	length and width	UNI-EN ISO 10545-2	± 0.5%	compliant
	thickness	UNI-EN ISO 10545-2	± 10%	compliant
	straightness of sides	UNI-EN ISO 10545-2	± 0.3%	compliant
	rectangularity	UNI-EN ISO 10545-2	± 0.5%	compliant
	surface flatness – centre curvature	UNI-EN ISO 10545-2	± 0.5% - 0.3%	compliant
	surface flatness – side curvature	UNI-EN ISO 10545-2	± 0.5% - 0.3%	compliant
	surface flatness – warping	UNI-EN ISO 10545-2	± 0.5%	compliant
bending strength	breaking of rupture	UNI-EN ISO 10545-4	> 600 N (≥ 7,5 MM) > 200 N (< 7,5 MM)	compliant
	modulus of rupture	UNI-EN ISO 10545-4	> 12 N/MM² (≥ 7,5 MM) > 15 N/MM² (< 7,5 MM)	compliant
water absorption		UNI-EN ISO 10545-3	> 10 %	compliant
colour resistance to light		DIN 51094	-	resistant
linear thermal expansion coefficient (100° C)		UNI-EN ISO 10545-8	test method available	test method available
thermal shock resistance		UNI-EN ISO 10545-9	-	resistant*
frost resistance		UNI-EN ISO 10545-12	-	-
crazing resistance		UNI-EN ISO 10545-11	-	resistant*
resistance to stains		UNI-EN ISO 10545-14	CLASSE 3 MIN.	Class 5*
chemical resistance		UNI-EN ISO 10545-13	GB MIN.	guaranteed* (GA GLA GHA)
lead and cadmium given off		UNI-EN ISO 10545-15	test method available	test method available
reaction to fire		EN 13501-1	-	A1
shade variations		-	-	BIANCO: V2 ALTRI COLORI/ OTHER COLORS: V3

★ EXCLUDING METALLIC COLOURS (oro, bronzo, acciaio)

GLAZED WHITE-BODIED POROUS SINGLE-FIRED WALL TILES
Dry-pressed ceramic tiles with water absorption Eb > 10 %. Quality specification, according to control test of EN14411:2013 appendix L group BIII GL