


TWILL POIS MARINIÈRE LIGNES 6 MM 10 MM 20 MM

CARRIÈRE


NAMUR GENT BRUGES






MAXIMUM VERSATILITY

Forward thinking, experience, unique appeal. Every uneven detail becomes a unique character, every difference has a key role to play, every piece is different from the others in terms of pattern and nuance. With a wide choice of sizes, thicknesses, edges, surfaces, finishes and textures, Carrière du kronos offers the opportunity to create living spaces with a truly personal touch. Developing the "made by bespoke" concept, kronos also offers the chance to complete projects with pool edges, steps, wash basins, shelves, and other special pieces.




NOBLE APPEARANCE



Elegant appearance,
a smooth surface,
a delicate surface pattern
natural effect,
a straight edge,
V2 shading

ANCIENT APPEARANCE



Rustic appearance such as
resembling stone, highly evident surface
pattern, with typical wear, antique limestone
residual and vintage edge,
V3 shading

BRUGES



GENT



NAMUR



BRUGES



GENT



NAMUR



CARRIERE



P.08

MATERIAL,
TANGIBLE,
INTENSE



P.26

ESSENTIAL,
LINEAR,
CONTEMPORARY


Rough, contrasting, full-bodied spaces eternally walking the line between inside and outside.

LUXE RAW















CARRIERE

FLOOR: NAMUR modulo vintage 80x80 - 50x80 - 60x60 - 30x80





LESS IS MORE

CARRIERE

l e s s

i s

m o r e

Spaces reduced to
the essential where
materials play the
key role.

LESS IS MORE







CARRIERE

FLOOR: NAMUR 2.0 20,2x20,2 / 20,2x30,4 vintage GENT 2.0 60x60 anticato rett.





CARRIERE RECEPTION DESK: NAMUR rett. VOLUME: NAMUR - NAMUR LIGNES rett. BENCH: NAMUR - NAMUR LIGNES rett.

PRIMA MATERIA FLOOR: CENERE rett. 120x120 WALL: CENERE rett. 120x240




LESS IS MORE



CARRIERE

VOLUME: NAMUR - NAMUR LIGNES rett. BENCH: NAMUR - NAMUR LIGNES rett.







CARRIERE

FLOOR: BRUGES 2.0 60x60 anticato rett.

WALL: WOODSIDE NUT 2.0 30x240 rett.







CARRIERE FLOOR: BRUGES lappato rett. 120x240 WALL: BRUGES rett. 120x240 STAIR & LANDING BRUGES rett. 120x240



LESS IS MORE



CARRIERE

FLOOR: BRUGES lappato rett. 120x240

WALL: BRUGES rett. 120x240

STAIR & LANDING BRUGES rett. 120x240



LESS IS MORE





CARRIERE

WALL & TOP: GENT 120x240 lappato rett.



CARRIERE

FLOOR: GENT 80x80 lappato rett.





LESS IS MORE



CARRIERE

FLOOR: GENT 120x120 rett.

WALL: GENT 120x240 - MOSAICO EXA GENT rett.

WASHBASIN & SHELF: GENT rett.





CARRIERE FLOOR: GENT 120x120 rett. WALL: MOSAICO EXA GENT rett. WASHBASIN & SHELF: GENT rett.





CARRIERE FLOOR: GENT rett. 120x120 WALL: GENT rett. 120x240



LESS IS MORE

CARRIERE

NOBLE APPEARANCE

 **V2**
lieve variazione - slight variation
légère différence de nuance - Leichte Abweichung

 6 mm


 10 mm



120x240



120x120



80x180



60x120

ANCIENT APPEARANCE

BORDO ANTICATO / ANTIQUE EDGE

BORDO VINTAGE / VINTAGE EDGE

 **V3**
moderata variazione - moderate variation
variation modérée - Mäßige Abweichung

 10 mm

 20 mm



80x80



40x80



60,8x60,8



60x60



20,3x20,3



20x20



80x80



60x60



20,2x30,4



20,2x20,2


NAMUR




NOBLE APPEARANCE

6 mm


10 mm



120x240 NAMUR
8452 | rett.
8454 | lapp. rett.



120x120 NAMUR
8456 | rett.
8458 | lapp. rett.



80x180 NAMUR
8401 | rett.
8403 | lapp. rett.



60x120 NAMUR
8411 | rett.
8413 | lapp. rett.
8440 | grip rett.

special pieces



4,6x60 BATT. NAMUR
8481

graphic movement





10 mm

BORDO ANTICATO - antique edge



80x80 NAMUR
8406 | rett.
8408 | lapp. rett.



40x80 NAMUR
8512 | rett.
8515 | lapp. rett.



60,8x60,8 NAMUR
8421 | nat.
8505 | grip




20x20 NAMUR
8444 | rett.
20,3x20,3 NAMUR
8447 | grip




60x60 NAMUR
8426 | rett.
8428 | lapp. rett.
8508 | grip rett.


BORDO VINTAGE - vintage edge



80x80 NAMUR
8434 | rett.
8475 | lapp. rett.




60x60 NAMUR
8431 | rett.
8472 | lapp. rett.




MODULO NAMUR
Nr. 1 - 50x80 62,5%
Nr. 1 - 30x80 37,5%
8437 | -
8478 | lapp.

textures


BORDO DRITTO - straight edge




60x120 NAMUR TWILL
8466 | rett.



60x120 NAMUR MARINIERE
8469 | rett.



60x120 NAMUR POIS
8468 | rett.



60x120 NAMUR LIGNES
8470 | rett.


mosaics




30x30 - tessere 2,6x3
TRAMA NAMUR mos.
8487



15x60 - tessere
MUROTTTO NAMUR
8490



30x30 - tessere
EXA NAMUR mosaico
8518



5x40 NAMUR TEXTURE MIX
8531




20 mm

SKE2.0

BORDO ANTICATO - antique edge

BORDO VINTAGE



80x80 NAMUR 2.0
8375 | ant. rett.



60x60 NAMUR 2.0
8355 | ant. rett.



20,2x20,2 NAMUR 2.0
9500



20,2x30,4 NAMUR 2.0
9505



MOSAICO EXA NAMUR 30x30




GENT




NOBLE APPEARANCE

6 m m




120x240 GENT
8453 | rett.
8455 | lapp. rett.

10 m m



120x120 GENT
8457 | rett.
8459 | lapp. rett.



80x180 GENT
8402 | rett.
8404 | lapp. rett.



60x120 GENT
8412 | rett.
8414 | lapp. rett.
8442 | grip rett.

special pieces



4,6x60 BATT. GENT
8482

graphic movement




GENT

ANCIENT APPEARANCE



10 m m

BORDO ANTICATO - antique edge



80x80 GENT
8407 | rett.
8409 | lapp. rett.



40x80 GENT
8513 | rett.
8516 | lapp. rett.



60,8x60,8 GENT
8422 | nat.
8506 | grip




20x20 GENT
8445 | rett.
20,3x20,3 GENT
8448 | grip


60x60 GENT

8427 | rett.
8429 | lapp. rett.
8509 | grip rett.


BORDO VINTAGE - vintage edge



80x80 GENT
8435 | rett.
8476 | lapp. rett.




60x60 GENT
8432 | rett.
8473 | lapp. rett.



MODULO GENT
Nr. 1 - 50x80 62,5%
Nr. 1 - 30x80 37,5%
8438 | -
8479 | lapp.

textures


BORDO DRITTO - straight edge




60x120 GENT TWILL
8493 | rett.



60x120 GENT MARINIERE
8495 | rett.



60x120 GENT POIS
8494 | rett.



60x120 GENT LIGNES
8496 | rett.


mosaics



30x30 - tessere 2,6x3
TRAMA GENT mos.
8488



15x60
MUROTT0 GENT
8491



30x30
EXA GENT mosaico
8519



5x40 GENT TEXTURE MIX
8532




20 m m

SKE2.0

BORDO ANTICATO - antique edge

BORDO VINTAGE



80x80 GENT 2.0
8376 | ant. rett.



60x60 GENT 2.0
8356 | ant. rett.



20,2x20,2 GENT 2.0
9501



20,2x30,4 GENT 2.0
9506



TRAMA GENT 30x30




BRUGES



NOBLE APPEARANCE




6 m m




120x240 BRUGES
8462 | rett.
8463 | lapp. rett.

10 m m



80x180 BRUGES
8416 | rett.
8405 | lapp. rett.



120x120 BRUGES
8464 | rett.
8465 | lapp. rett.



60x120 BRUGES
8424 | rett.
8415 | lapp. rett.
8443 | grip rett.

special pieces




4,6x60 BATT. BRUGES
8483

graphic movement





BORDO ANTICATO - antique edge



80x80 BRUGES
8417 | rett.
8418 | lapp. rett.



40x80 BRUGES
8514 | rett.
8517 | lapp. rett.



60,8x60,8 BRUGES
8423 | nat.
8507 | grip




20x20 BRUGES
8446 | rett.
20,3x20,3 BRUGES
8449 | grip




60x60 BRUGES
8425 | rett.
8419 | lapp. rett.
8511 | grip rett.

BORDO VINTAGE - vintage edge



80x80 BRUGES
8436 | rett.
8477 | lapp. rett.




60x60 BRUGES
8433 | rett.
8474 | lapp. rett.




MODULO BRUGES
Nr. 1 - 50x80 62,5%
Nr. 1 - 30x80 37,5%
8439 | -
8480 | lapp.

textures


BORDO DRITTO - straight edge




60x120 BRUGES TWILL
8497 | rett.



60x120 BRUGES MARINIERE
8499 | rett.



60x120 BRUGES POIS
8498 | rett.



60x120 BRUGES LIGNES
8501 | rett.


mosaics




30x30 - tessere 2,6x3
TRAMA BRUGES mos.
8489



15x60
MUROTTO BRUGES
8492



30x30
EXA BRUGES mosaico
8521




5x40 BRUGES TEXTURE MIX
8533



SKE2.0

BORDO ANTICATO - antique edge

BORDO VINTAGE



80x80 BRUGES 2.0
8377 | ant. rett.



60x60 BRUGES 2.0
8357 | ant. rett.



20,2x20,2 BRUGES 2.0
9502



20,2x30,4 BRUGES 2.0
9507



MUROTTO BRUGES 15x60



CARRIERE

BORDO ANTICATO


BORDO VINTAGE

LAYING SETTINGS

 10 mm

 10 mm


 20 mm



SCHEMA DI POSA 3 FORMATI PAG. 36
Nr. 2 - 60x60 43%
Nr. 1 - 40x80 19%
Nr. 1 - 80x80 38%



SCHEMA DI POSA 4 FORMATI PAG. 21
Nr. 1 - 80x80 19,04%
Nr. 2 - 50x80 23,81%
Nr. 4 - 60x60 42,86%
Nr. 2 - 30x80 14,28%



SCHEMA DI POSA 2 FORMATI PAG. 28
Nr. 1 - 20,2x20,2 40%
Nr. 1 - 20,2x30,4 60%





SIZES		20x20	20,3x20,3	20,2x20,2	20,2x30,4	60x60	60,8x60,8	40x80	80x80	60x120	80x180	120x120	120x240
FINISHING	NATURAL	●			●	●	●	●	●	●	●	●	●
	HONED					●		●	●	●	●	●	●
	GRIP R11	●	●		●	●	●			●			
EDGE	STRAIGHT RECT.									●	●	●	●
	STRAIGHT NON RECTIFIED												
	ANTIQUE RECT.	●				●		●	●				
	ANTIQUE NON RECTIFIED		●				●						
	VINTAGE			●	●	●			●				
SURFACE	ANTIQUE	●	●			●	●	●	●				
	SMOOTH									●	●	●	●
THICKNESS	6 mm											●	●
	10 mm	●	●			●	●	●	●	●	●		
	20 mm			●	●								
	GRIP ANTIQUE 20 mm												
	GRIP ANTIQUE					●			●				
SHADING	V2 slight variation									●	●	●	●
	V3 moderate variation	●	●		●	●	●	●	●				

CARRIERE

PACKAGING

CARRIERE	Thickness	Pezzi per scatola	M² per scatola	Kg per scatola	Scatole per pallet	M² per pallet	KG per pallet
120x240	6	1	2,88	40,00	20	57,60	820
120x120	6	2	2,88	42,00	24	69,12	1.028
80x180	10	2	2,88	67,00	20	57,60	1.360
60x120	10	2	1,44	33,50	30	43,20	1.025
80x80	10	2	1,28	30,00	40	51,20	1.220
40x80	10	3	0,96	22,00	56	53,76	1.352
60,8x60,8	10	3	1,11	25,00	40	44,40	1.020
60x60	10	3	1,08	23,50	40	43,20	960
20,3x20,3	10	24	0,96	21,70	54	51,84	1.191,8
20x20	10	24	0,96	20,70	54	51,84	1.137,8
60x60 twill/pois/mariniere/lignes	10	2	1,44	33,00	-	-	-
30x30 mosaico 2,6x3	10	10	0,90	17,50	30	27,00	545
25,5x29,5 mosaico	10	10	0,76	19,00	30	22,80	590
15x60 murotto	10	12	1,08	20,50	30	32,40	635
5x40 texture mix	10	25	0,50	11,00	72	36,00	812
80x80	20	2	1,28	58,50	24	30,72	1.424
60x60	20	2	0,72	33,00	30	21,60	990
20,2x20,2	20	12	0,49	22,50	54	26,46	1.235
20,2x30,4	20	7	0,43	20,00	60	25,80	1.220

SHADE VARIATION

V1
aspetto uniforme
uniform appearance
aspect uniforme
Gleichmäßiges Bild

V2
lieve variazione
slight variation
légère différence de nuance
Leichte Abweichung

V3
moderata variazione
moderate variation
variation modérée
Mäßige Abweichung

V4
forte variazione
substantial variation
variation intense
Stärke Abweichung

NOBLE APPEARANCE

ANCIENT APPEARANCE

CHARACTERISTICS OR PROPERTIES	STANDARDS	COMPLIANCE WITH STANDARDS					
SURFACE QUALITY	ISO 10545-2	AT LEAST 95% OF THE TILES MUST BE FREE FROM VISIBLE FLAWS			COMPLIES WITH STANDARD		
		N ≥ 15cm %	N ≥ 15cm mm	TEST RESULTS	COMPLIES WITH STANDARD		
		± 0,5 %	± 1,5 mm	± 0,10%	COMPLIES WITH STANDARD		
		± 0,5 %	± 0,5 mm	± 5%	COMPLIES WITH STANDARD		
		± 0,5 %	± 2,0 mm	± 0,20%	COMPLIES WITH STANDARD		
		± 0,5 %	± 2,0 mm	± 0,35%	COMPLIES WITH STANDARD		
		± 0,6 %	± 2,0 mm	± 0,15%	COMPLIES WITH STANDARD		
MAXIMUM STRAIGHTNESS DEVIATION IN %							
ADMITTED DEVIATION, IN %, OF THE AVERAGE THICKNESS OF EACH TILE FROM THE PRODUCTION DIMENSIONS							
MAXIMUM RIGHT-ANGLE							
FLATNESS							
LENGTH AND WIDTH							
WATER ABSORPTION	ISO 10545-3	≤ 0,5 %			E < = 0,04 %		
BENDING STRENGTH	ISO 10545-4	R ≥ 35 N/mm²			53 N/mm²		
IMPACT RESISTANCE	ISO 10545-5	DECLARED VALUE			0,88		
RESISTANCE TO DEEP ABRASION	ISO 10545-6	≤175 mm³			<128 mm³		
COEFFICIENT OF LINEAR THERMAL-EXPANSION	ISO 10545-8	-			α=7x10 ⁻⁶ /°C ⁻¹		
THERMAL SHOCK RESISTANCE	ISO 10545-9	PASS ACCORDING EN ISO 10545-1			NO DAMAGE		
FROST RESISTANCE	ISO 10545-12	PASS ACCORDING EN ISO 10545-1			NO DAMAGE		
CHEMICAL RESISTANCE	ISO 10545-13	UB MIN.			UA ULA UHA		
RESISTANCE TO STAIN	ISO 10545-14	DECLARED VALUE			Classe 5		
FIRE RESISTANCE	EN 13501 - 1	DECLARED VALUE			CLASSE A1 - A1 FL		
SLIP RESISTANCE	B.C.R. C.A. B.C.R. G.B D. M. 236 DEL 4.6 1989 ASTM C 1028/07 BOT 3000 ASTM C 1028/07 BOT 3000 ANSI A137.1 BOT 3000 DIN 51130 DIN 51097 ENV 12633 UNI EN 13036 - 4 2011				NAT	GRIP	SKE2.0
		> 0,40			CONF	CONF	CONF
		Dry SCOF > 0,60			CONF	CONF	CONF
		Wet SCOF > 0,60			CONF	CONF	CONF
		Wet DCOF > 0,42			CONF	CONF	CONF
		-			R10	R11	R11
		-			A	A+B+C	A+B+C
		≥ CL 1			CONF	CONF	CONF
≥ 36			CONF	CONF	CONF		
COLOUR STABILITY ON EXPOSURE TO LIGHT AND UV RAYS	DIN 51094	DECLARED VALUE			COMPLIES WITH STANDARD, NO VARIATION		
SKE2.0							
STATIC LOAD	EN 12825	DECLARED VALUE			CENTRE POINT OF SIDES 6,5 KN)		
DYMANIC LAOD CAPACITY, HAND OBJECT IMPACT	EN 12825	DECLARED VALUE			TEST NOT PASSED		
DYMANIC LAOD CAPACITY, SOFT OBJECT IMPACT	EN 12825	DECLARED VALUE			TEST PASSED		
BENDIND STRENGTH	EN 1339	Kn 14,38			CLASSE U14		
BREAKING FORCE IN MPA		-			MPA 46,5		