




DINTORNI







Research perimeter

The Dintorni collection explores the theme of the form and perimeter of small format, white body wall tiles characterised by a slim matt recessed border and an elegantly shiny embossed interior. The potential of this modern interpretation of classic, gloss wall tiles, typical of traditional architecture and interior design, is further amplified by a rich colour range and sophisticated surface finish.

White body wall tiles

7,5X30CM
3"X11.8" 

8MM 
Monochromatic

Restyling classics for contemporary design

By playing delicately with its 10 colours and the contrast between matt and gloss effects, Dintorni creates surfaces with bold, compact colours and attractive embossing that emphasize the collection's geometrical character.

Smooth and glossy, these ceramic strips feature a lowered border with a matt finish. The contrast between the recessed outline and the bright slim rectangles within results in layouts that create light and modern layings.





bianco, grigio, terra





nero, malva



ocra, azzurro





ocra



nero





bianco, grigio, fango, nero, malva



verde



beige



fango

bianco

grigio

fango

nero

malva

azzurro

verde

terra

ocra

beige

BIANCO

White body wall tiles


3"X11.8"



8MM



Monochromatic



DNT101L ■26

SUGGESTED GROUTS

	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 01	WHITE 100	BRIGHT WHITE 44
CONTRASTING	FUGABELLA COLOR 50 FUGABELLA COLOR 09 FUGABELLA COLOR 11	VIOLET 162 CEMENT GREY 113 ANTHRACITE 114	SILSTONE 16 DUSTY GREY 60 RAVEN 45

SUGGESTED LAYING SCHEMES




100% BIANCO

FUGABELLA COLOR 01




35% BIANCO | 30% NERO | 20% GRIGIO | 15% FANGO

FUGABELLA COLOR 06




100% BIANCO

FUGABELLA COLOR 50




50% BIANCO | 25% AZZURRO | 25% VERDE

FUGABELLA COLOR 01




100% BIANCO

FUGABELLA COLOR 09



55% BIANCO | 45% MALVA

FUGABELLA COLOR 01



100% BIANCO

FUGABELLA COLOR 11



65% BIANCO | 35% TERRA

FUGABELLA COLOR 01

GRIGIO

White body wall tiles 3"X11.8" 8MM Monochromatic



DNT102L ■26

SUGGESTED GROUTS

	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 06	MANHATTAN2000 110	SMOKE GREY 89
CONTRASTING	FUGABELLA COLOR 01 FUGABELLA COLOR 29 FUGABELLA COLOR 14	WHITE 100 ALMOND 138 CROCUS BLUE 170	BRIGHT WHITE 44 BUTTER CREAM 81 SLATE GREY 91

SUGGESTED LAYING SCHEMES



100% GRIGIO

FUGABELLA COLOR 06



35% GRIGIO | 30% VERDE | 20% BIANCO | 15% FANGO

FUGABELLA COLOR 06




100% GRIGIO

FUGABELLA COLOR 01




50% GRIGIO | 25% FANGO | 25% BIANCO

FUGABELLA COLOR 06




100% GRIGIO

FUGABELLA COLOR 29




55% GRIGIO | 45% MALVA

FUGABELLA COLOR 06



100% GRIGIO

FUGABELLA COLOR 14



65% GRIGIO | 35% BIANCO

FUGABELLA COLOR 06

FANGO

White body wall tiles 3"X11.8" 8MM Monochromatic




DNT103L ■26

SUGGESTED GROUTS


	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 09	CEMENT GREY 113	DUSTY GREY 60
CONTRASTING	FUGABELLA COLOR 29 FUGABELLA COLOR 43 FUGABELLA COLOR 11	ALMOND 138 CARRIBEAN 137 ANTHRACITE 114	BUTTER CREAM 81 LIGHT PEWTER 90 RAVEN 45

SUGGESTED LAYING SCHEMES




100% FANGO

FUGABELLA COLOR 09




35% FANGO | 30% MALVA | 20% BIANCO | 15% GRIGIO

FUGABELLA COLOR 06




100% FANGO

FUGABELLA COLOR 29




50% FANGO | 25% TERRA | 25% OCRA

FUGABELLA COLOR 09




100% FANGO

FUGABELLA COLOR 43




55% FANGO | 45% BEIGE

FUGABELLA COLOR 09



100% FANGO

FUGABELLA COLOR 11



65% FANGO | 35% NERO

FUGABELLA COLOR 09

NERO

White body wall tiles


3"X11.8"



8MM



Monochromatic




DNT104L ■26

SUGGESTED GROUTS


	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 11	ANTHRACITE 114	RAVEN 45
CONTRASTING	FUGABELLA COLOR 40 FUGABELLA COLOR 14 FUGABELLA COLOR 43	TERRA DI SENA 145 CROCUS BLU 170 CARRIBEAN 137	CINNAMON 47 SLATE GREY 91 LIGHT PEWTER 90

SUGGESTED LAYING SCHEMES




100% NERO

FUGABELLA COLOR 11




35% NERO | 30% TERRA | 20% BIANCO | 15% FANGO

FUGABELLA COLOR 06




100% NERO

FUGABELLA COLOR 40




50% NERO | 25% MALVA | 25% VERDE

FUGABELLA COLOR 06




100% NERO

FUGABELLA COLOR 14




55% NERO | 45% OCRA

FUGABELLA COLOR 11



100% NERO

FUGABELLA COLOR 43



65% NERO | 35% BIANCO

FUGABELLA COLOR 06

MALVA

White body wall tiles


3"X11.8"



8MM



Monochromatic




DNT105L ■26

SUGGESTED GROUTS


	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 50	VIOLET 162	SILSTONE 16
CONTRASTING	FUGABELLA COLOR 14 FUGABELLA COLOR 29 FUGABELLA COLOR 01	CROCUS BLUE 170 ALMOND 138 WHITE 100	SLATE GREY 91 BUTTER CREAM 81 BRIGHT WHITE 44

SUGGESTED LAYING SCHEMES




100% MALVA

FUGABELLA COLOR 50




35% MALVA | 30% VERDE | 20% BIANCO | 15% GRIGIO

FUGABELLA COLOR 06




100% MALVA

FUGABELLA COLOR 14




50% MALVA | 25% FANGO | 25% GRIGIO

FUGABELLA COLOR 09




100% MALVA

FUGABELLA COLOR 29




55% MALVA | 45% FANGO

FUGABELLA COLOR 09



100% MALVA

FUGABELLA COLOR 01



65% MALVA | 35% OCRA

FUGABELLA COLOR 06

AZZURRO

White body wall tiles 3"X11.8" 8MM Monochromatic



DNT106L ■26


SUGGESTED GROUTS

	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 14	CROCUS BLUE 170	SLATE GREY 91
CONTRASTING	FUGABELLA COLOR 11 FUGABELLA COLOR 29 FUGABELLA COLOR 01	ANTHRACITE 114 ALMOND 138 WHITE 100	RAVEN 45 BUTTER CREAM 81 BRIGHT WHITE 44


SUGGESTED LAYING SCHEMES



100% AZZURRO FUGABELLA COLOR 14




35% AZZURRO | 30% BIANCO | 20% GRIGIO | 15% FANGO FUGABELLA COLOR 06




100% AZZURRO FUGABELLA COLOR 11




50% AZZURRO | 25% VERDE | 25% BIANCO FUGABELLA COLOR 06




100% AZZURRO FUGABELLA COLOR 29



55% AZZURRO | 45% BIANCO FUGABELLA COLOR 06



100% AZZURRO FUGABELLA COLOR 01



65% AZZURRO | 35% GRIGIO FUGABELLA COLOR 06

VERDE

White body wall tiles 3"X11.8" 8MM Monochromatic




DNT107L ■26


SUGGESTED GROUTS

	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 18	TOURMAILNEN 182	SEA GLASS 50
CONTRASTING	FUGABELLA COLOR 40 FUGABELLA COLOR 43 FUGABELLA COLOR 01	TERRA DI SENA 145 CARRIBEAN 137 WHITE 100	CINNAMON 47 LIGHT PEWTER 90 BRIGHT WHITE 44


SUGGESTED LAYING SCHEMES




100% VERDE FUGABELLA COLOR 18




35% VERDE | 30% NERO | 20% GRIGIO | 15% FANGO FUGABELLA COLOR 06




100% VERDE FUGABELLA COLOR 40




50% VERDE | 25% OCRA | 25% GRIGIO FUGABELLA COLOR 01




100% VERDE FUGABELLA COLOR 43



55% VERDE | 45% NERO FUGABELLA COLOR 09



100% VERDE FUGABELLA COLOR 01



65% VERDE | 35% BEIGE FUGABELLA COLOR 09

TERRA

White body wall tiles

3"X11.8"



8MM



Monochromatic




DNT108L ■26

SUGGESTED GROUTS


	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 40	TERRA DI SENA 145	CINNAMON 47
CONTRASTING	FUGABELLA COLOR 29 FUGABELLA COLOR 43 FUGABELLA COLOR 01	ALMOND 138 CARRIBEAN 137 WHITE 100	BUTTER CREAM 81 LIGHT PEWTER 90 BRIGHT WHITE 44

SUGGESTED LAYING SCHEMES




100% TERRA

FUGABELLA COLOR 40




35% TERRA | 30% OCRA | 20% BIANCO | 15% BEIGE

FUGABELLA COLOR 06




100% TERRA

FUGABELLA COLOR 29




50% TERRA | 25% GRIGIO | 25% BIANCO

FUGABELLA COLOR 06




100% TERRA

FUGABELLA COLOR 43




55% TERRA | 45% BEIGE

FUGABELLA COLOR 06



100% TERRA

FUGABELLA COLOR 01




65% TERRA | 35% NERO

FUGABELLA COLOR 06

OCRA

White body wall tiles 3"X11.8" 8MM Monochromatic




DNT109L ■26

SUGGESTED GROUTS


	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 29	ALMOND 138	BUTTER CREAM 81
CONTRASTING	FUGABELLA COLOR 40 FUGABELLA COLOR 09 FUGABELLA COLOR 01	TERRA DI SENA 145 CEMENT GREY 113 MOON WHITE 100	CINNAMON 47 DUSTY GREY 60 BRIGHT WHITE 44

SUGGESTED LAYING SCHEMES




100% OCRA

FUGABELLA COLOR 29



35% OCRA | 30% FANGO | 20% MALVA | 15% BIANCO

FUGABELLA COLOR 09




100% OCRA

FUGABELLA COLOR 40




50% OCRA | 25% BEIGE | 25% BIANCO

FUGABELLA COLOR 06




100% OCRA

FUGABELLA COLOR 09




55% OCRA | 45% GRIGIO

FUGABELLA COLOR 06



100% OCRA

FUGABELLA COLOR 01



65% OCRA | 35% TERRA

FUGABELLA COLOR 06

BEIGE

White body wall tiles 3"X11.8" 8MM Monochromatic



DNT110L ■26

SUGGESTED GROUTS


	Kerakoll	Mapei	Laticrete
TONE ON TONE	FUGABELLA COLOR 43	CARRIBEAN 137	LIGHT PEWTER 90
CONTRASTING	FUGABELLA COLOR 18 FUGABELLA COLOR 09 FUGABELLA COLOR 50	TOURMAILNEN 182 CEMENT GREY 113 VIOLET 162	SEA GLASS 50 DUSTY GREY 60 SILSTONE 16

SUGGESTED LAYING SCHEMES



100% BEIGE

FUGABELLA COLOR 43



35% BEIGE | 30% OCRA | 20% BIANCO | 15% VERDE

FUGABELLA COLOR 06




100% BEIGE

FUGABELLA COLOR 18




50% BEIGE | 25% GRIGIO | 25% BIANCO

FUGABELLA COLOR 06




100% BEIGE

FUGABELLA COLOR 09




55% BEIGE | 45% GRIGIO

FUGABELLA COLOR 06



100% BEIGE

FUGABELLA COLOR 50






65% BEIGE | 35% FANGO

FUGABELLA COLOR 06

COLOUR SUGGESTIONS

The Dintorni colour range has been specifically designed so that all the different tones in the collection match. The colours can be combined according to your own creativity and in a practically infinite number of ways. Here are some examples.

 BIANCO + GRIGIO	 BIANCO + FANGO	 BIANCO + BEIGE	 BIANCO + NERO
 BIANCO + VERDE	 BIANCO + AZZURRO	 BIANCO + OCRA	 BIANCO + TERRA
 BIANCO + MALVA	 GRIGIO + FANGO	 GRIGIO + VERDE	 GRIGIO + AZZURRO
 GRIGIO + NERO	 GRIGIO + OCRA	 GRIGIO + MALVA	 GRIGIO + TERRA
 BEIGE + VERDE	 BEIGE + AZZURRO	 BEIGE + NERO	 BEIGE + OCRA
 BEIGE + MALVA	 BEIGE + TERRA	 FANGO + NERO	 FANGO + VERDE
 FANGO + AZZURRO	 FANGO + OCRA	 FANGO + BEIGE	 TERRA + NERO
 VERDE + NERO	 VERDE + TERRA	 VERDE + OCRA	 OCRA + TERRA

 AZZURRO + OCRA	 AZZURRO + TERRA	 AZZURRO + NERO	 OCRA + BEIGE + VERDE
 OCRA + MALVA	 OCRA + NERO	 AZZURRO + MALVA	 OCRA + BEIGE + TERRA
 BIANCO + FANGO + AZZURRO	 BIANCO + FANGO + NERO	 BIANCO + FANGO + TERRA + NERO	
 BIANCO + FANGO + MALVA	 BIANCO + GRIGIO + FANGO	 BIANCO + GRIGIO + FANGO + NERO	
 BIANCO + GRIGIO + AZZURRO	 BIANCO + FANGO + VERDE	 BIANCO + OCRA + BEIGE + VERDE	
 BIANCO + GRIGIO + MALVA	 BIANCO + GRIGIO + TERRA	 BIANCO + VERDE + GRIGIO + MALVA	
 BIANCO + FANGO + OCRA	 GRIGIO + FANGO + NERO	 BIANCO + OCRA + FANGO + MALVA	
 BIANCO + GRIGIO + NERO	 GRIGIO + FANGO + BEIGE	 GRIGIO + FANGO + VERDE + NERO	
 BIANCO + GRIGIO + OCRA	 GRIGIO + FANGO + AZZURRO	 OCRA + BIANCO + BEIGE + TERRA	
 BIANCO + FANGO + BEIGE	 NERO + BEIGE + TERRA	 FANGO + MALVA + BIANCO + GRIGIO	

TECHNICAL FEATURES

		white body wall tiles		
		standard	required standards	DINTORNI
DIMENSIONI dimensions	length and width	UNI-EN ISO 10545-2	± 0.5%	compliant
	thickness	UNI-EN ISO 10545-2	± 10%	compliant
	straightness of sides	UNI-EN ISO 10545-2	± 0.3%	compliant
	rectangularity	UNI-EN ISO 10545-2	± 0.5%	compliant
	surface flatness – centre curvature	UNI-EN ISO 10545-2	± 0.5% - 0.3%	compliant
	surface flatness – edge curvature	UNI-EN ISO 10545-2	± 0.5% - 0.3%	compliant
	surface flatness – warpage	UNI-EN ISO 10545-2	± 0.5%	compliant
bending strenght	breaking of rupture	UNI-EN ISO 10545-4	> 600 N (≥ 7,5 MM) > 200 N (< 7,5 MM)	compliant
	modulus of rupture	UNI-EN ISO 10545-4	> 12 N/MM² (≥ 7,5 MM) > 15 N/MM² (< 7,5 MM)	compliant
resistance to abrasion of glazed tiles		UNI-EN ISO 10545-7	-	-
water absorption		UNI-EN ISO 10545-3	> 10 %	compliant
colour resistance to light		DIN 51094	-	resistant
linear thermal expansion coefficient (100° C)		UNI-EN ISO 10545-8	test method available	test method available
thermal shock resistance		UNI-EN ISO 10545-9	-	resistant*
frost resistance		UNI-EN ISO 10545-12	-	-
crazing resistance		UNI-EN ISO 10545-11	-	resistant
resistance to stains		UNI-EN ISO 10545-14	CLASSE 3 MIN.	Class 5
chemical resistance		UNI-EN ISO 10545-13	GB MIN.	guaranteed (GA GLA GH A)
lead and cadmium given off		UNI-EN ISO 10545-15	test method available	test method available

GLAZED WHITE-BODIED POROUS SINGLE-FIRED WALL TILES
Dry-pressed ceramic tiles with water absorption Eb > 10 %. Quality specification, according to control test of EN14411:2013 appendix L group BIII GL

PACKING

ITEM	SIZE	PZ	MQ	KG	SCATOLA BOX
dintorni	7,5x30cm 3"x11.8"	22	0,5	7,90	

ITEM	SIZE	BOX	PZ	MQ	KG	PALLET PALLET
dintorni	7,5x30cm 3"x11.8"	96	2.112	48	778,40	