

Métallique

**Minimal,
contemporary
allure.**



Métallique

**Minimal,
contemporary
allure.**

Métallique

BRUNE

P06

NOIR

P14

LAME

P24



OXYDE

NOIR

Métallique

BRUNE



BRUNE. PRECIEUSE INTENSITE



Métallique



BRUNE

Métallique



BRUNE





Métallique



BRUNE


Métallique

NOIR



NOIR. DESIR SECRET.

Métallique



NOIR



Métallique



NOIR

Métallique



NOIR



Métallique

NOIR



Métallique

LAME



LAME. LUMINOSITE DIFFUSE.




Métallique



LAME




Métallique



LAME

Métallique



Métallique





ME003 BRUNE rett
120x280 - 47¼"x110½"



ME056 ASTA OTTONE
0,5x3x280 - 0,2"x1,1"x110½"



ME055 ASTA FERRO
0,5x3x280 - 0,2"x1,1"x110½"




ME022 BRUNE rett
60x120 - 23¾"x47¼"



ME033 BRUNE batt.
4,60x60 - 1⅞"x23¾"

Decori e mosaici abbinabili a brune e brune oxyde.
Decors and mosaics can be combined with brune and brune oxyde.



ME062 ETNIQUE BRUNE rett
60x120 - 23¾"x47¼"



ME067 CELTIQUE BRUNE rett
60x120 - 23¾"x47¼"



ME072 CARRE BRUNE rett
60x120 - 23¾"x47¼"



ME077 TRANCHE BRUNE rett
60x120 - 23¾"x47¼"



ME007 BRUNE OXYDE rett
120x280 - 47¼"x110½"




ME017 BRUNE OXYDE rett
120x120 - 47¼"x47¼"



ME027 BRUNE OXYDE rett
60x120 - 23¾"x47¼"



ME087 BRUNE OXYDE rett
80x80 - 31½"x31½"



ME042 TEXTURE MIX BRUNE rett
20x20 - 7⅞"x 7⅞"



ME044 TEXTURE MIX MELANGE rett
20x20 - 7⅞"x 7⅞"



ME047 MOSAICO BRUNE
30x30 - 11⅞"x11⅞"



ME082 HEXA BRUNE
31,1x32,2 - 12¾"x12¾"

6 mm - ¼"



ME001 NOIR rett
120x280 - 47¼"x110½"



ME056 ASTA OTTONE
0,5x3x280 - 0,2"x1,1"x110½"



ME055 ASTA FERRO
0,5x3x280 - 0,2"x1,1"x110½"

10 mm - ⅜"



ME020 NOIR rett
60x120 - 23⅝"x47¼"



ME030 NOIR batt.
4,60x60 - 1⅞"x23⅝"

Decori e mosaici abbinabili a noir e noir oxyde.
Decors and mosaics can be combined with noir and noir oxyde.

6 mm - ¼"



ME005 NOIR OXYDE rett
120x280 - 47¼"x110½"

10 mm - ⅜"



ME015 NOIR OXYDE rett
120x120 - 47¼"x47¼"




ME025 NOIR OXYDE rett
60x120 - 23⅝"x47¼"




ME085 NOIR OXYDE rett
80x80 - 31½"x31½"



ME060 ETNIQUE NOIR rett
60x120 - 23⅝"x47¼"



ME070 CARRE NOIR rett
60x120 - 23⅝"x47¼"



ME040 TEXTURE MIX NOIR rett
20x20 - 7⅞"x 7⅞"



ME045 MOSAICO NOIR
30x30 - 11⅞"x11⅞"



ME080 HEXA NOIR
31,1x32,2 - 12⅝"x12¾"



ME065 CELTIQUE NOIR rett
60x120 - 23⅝"x47¼"



ME075 TRANCHE NOIR rett
60x120 - 23⅝"x47¼"



ME044 TEXTURE MIX MELANGE rett
20x20 - 7⅞"x 7⅞"

6 mm - ¼"

ME002

LAME rett

120x280

- 47¼"x110½"

ME056

ASTA OTTONE

0,5x3x280

- 0,2"x1,1"x110½"

ME055

ASTA FERRO

0,5x3x280

- 0,2"x1,1"x110½"

10 mm - ⅜"

ME021

LAME rett

60x120

- 23⅞"x47¼"

ME031

LAME batt.

4,60x60

- 1⅞"x23⅞"

Decori e mosaici abbinabili a lame e lame oxyde.
Decors and mosaics can be combined with lame and lame oxyde.



ME061 ETNIQUE LAME rett
60x120 - 23⅞"x47¼"



ME066 CELTIQUE LAME rett
60x120 - 23⅞"x47¼"



ME071 CARRE LAME rett
60x120 - 23⅞"x47¼"



ME076 TRANCHE LAME rett
60x120 - 23⅞"x47¼"

6 mm - ¼"

ME006

LAME OXYDE rett

120x280

- 47¼"x110½"

10 mm - ⅜"

ME016

LAME OXYDE rett

120x120

- 47¼"x47¼"

ME026

LAME OXYDE rett

60x120


- 23⅞"x47¼"

ME086

LAME OXYDE rett

80x80

- 31½"x31½"



ME041 TEXTURE MIX LAME rett
20x20 - 7⅞"x 7⅞"



ME044 TEXTURE MIX MELANGE rett
20x20 - 7⅞"x 7⅞"



ME046 MOSAICO LAME
30x30 - 11⅞"x11⅞"



ME081 HEXA LAME
31,1x32,2 - 12⅞"x12¾"

Métallique

PACKAGING

METALLIQUE	Thickness	Pezzi per scatola	M² per scatola	Kg per scatola	Scatole per pallet	M² per pallet	KG per pallet
120x280 - 47¼"x110½"	6	1	3,36	47,40	20	67,20	968
120x120 - 47¼"x47¼"	10	2	2,88	67,00	18	51,84	1.226
80x80 - 31½"x31½"	10	2	1,28	30,00	40	51,20	1.220
60x120 - 23⅝"x47¼"	10	2	1,44	33,50	30	43,20	1.025
30x30 - mosaico tessere	10	10	0,90	20,20	30	27,00	626
32,2x31,1 mosaico hexa	10	9	1,00	29,00	36	36,00	1.064

SHADE VARIATION

V1

aspetto uniforme
uniform appearance
aspect uniforme
Gleichmäßiges Bild

V2

lieve variazione
slight variation
légère différence de nuance
Leichte Abweichung

V3

moderata variazione
moderate variation
variation modérée
Mäßige Abweichung

V4

forte variazione
substantial variation
variation intense
Stärke Abweichung

METALLIQUE

CHARACTERISTICS OR PROPERTIES	STANDARS	COMPLIANCE WITH STANDARDS		
SURFACE QUALITY	ISO 10545-2	AT LEAST 95% OF THE TILE MUST BE FREE FROM VISIBLE FLAWS		COMPLIES WITH STANDARD
MAXIMUM STRAIGHTNESS DEVIATION IN %		± 0,5 %	± 1,5 mm	± 0,1 %
ADMITTED DEVIATION, IN %, OF THE AVERAGE THICKNESS OF EACH TILE FROM THE PRODUCTION DIMENSIONS		± 0,5 %	± 0,5 mm	± 5 %
MAXIMUM RIGHT-ANGLE DEVIATION IN %		± 0,5 %	± 2,0 mm	± 0,2 %
FLATNESS		± 0,5 %	± 2,0 mm	± 0,2 %
LENGTH AND WIDTH		± 0,6 %	± 2,0 mm	± 0,15 %
WATER ABSORPTION	ISO 10545-3	≤ 0,5 %		average value 0,08%
BENDING STRENGTH	ISO 10545-4	R ≥ 35 N/mm²		average value 52 N/mm²
IMPACT RESISTANCE	ISO 10545-5	DECLARED VALUE		0,88
RESISTANCE TO DEEP ABRASION	ISO 10545-6	≤175 mm³		<128 mm³
COEFFICIENT OF LINEAR THERMAL-EXPANSION	ISO 10545-8	-		α=7x10 ⁻⁶ /°C ⁻¹
THERMAL SHOCK RESISTANCE	ISO 10545-9	PASS ACCORDING EN ISO 10545-1		NO DAMAGE
FROST RESISTANCE	ISO 10545-12	PASS ACCORDING EN ISO 10545-1		NO DAMAGE
CHEMICAL RESISTANCE	ISO 10545-13	UB MIN.		UA - UBL - UHB
RESISTANCE TO STAIN	ISO 10545-14	DECLARED VALUE		Classe 5
FIRE RESISTANCE	EN 13501 - 1	DECLARED VALUE		CLASSE A1 - A1 FL
SLIP RESISTANCE	B.C.R. C.A. B.C.R. G.B D. M. 236 DEL 4.6 1989	> 0,40		CONF
	ASTM C 1028/07 BOT 3000	Dry SCOF > 0,60		CONF
	ASTM C 1028/07 BOT 3000	Wet SCOF > 0,60		CONF
	ANSI A137.1 BOT 3000	Wet DCOF > 0,42		CONF
	DIN 51130	-		R9
	ENV 12633	≥ CL 1		CONF
	UNI EN 13036 - 4 2011	≥ 36		CONF
COLOUR STABILITY ON EXPOSURE TO LIGHT AND UV RAYS	DIN 51094	DECLARED VALUE		COMPLIES WITH STANDARD, NO VARIATION