




natural slate[®] compact

an material of primeval charm
yet contemporary
deep and intense textures
that recall
hints of natural elements
and moods of far away lands



a small collection of
ceramics
in three nuances


winter

natural slate® collection

elegant and bright
gives the space
a nordic feel
of pure harmonies




04_05



autumn

soft and downy
evokes
the warm and precious tones
of autumnal underwoods





08_09

multicolor



variegated and intense
its rich and profound hues
give space
depth and texture





12_13

multicolor brick






18_19

winter



autumn



multicolor



multicolor brick



colours



decors




sizes

superficie sand

40.8 x 61.4
16" x 24"


superficie naturale

40.8 x 61.4
16" x 24"

54

45.8 x 45.8
18" x 18"

50


30.5 x 30.5
12" x 12"

46

15 x 15
6" x 6"


55

brick

30 x 30
12" x 12"


20

mosaico

30.5 x 30.5
12" x 12"


140

muretto


20.5 x 45
8 1/4" x 17 3/4"

31


special items

gradone angolare
30.5 x 30.5
12" x 12"


68

gradone
30.5 x 30.5
12" x 12"



44

gradino
30.5 x 30.5
12" x 12"

16

battiscopa smaltato
10 x 61.4
4" x 24"

14

elemento a L
40 x 16
16" x 6 1/4"
40battiscopa smaltato
7 x 30.5
2 3/4" x 12"

7

technical features

water absorption



<0,5%

thickness

≠ 10mm

			packing	size	thickness	pcs./box	sqm./box	kgs./box	box/pal	sqm/pal	kg/pl
			fondo nat./sand	40,8x61,4	10	5	1,25	25,20	48	60,14	1210
			fondo naturale	45,8x45,8	10	6	1,26	25,40	48	60,48	1220
			fondo naturale	30,5x30,5	10	12	1,12	21,50	48	53,57	1032
			fondo naturale	15x15	10	44	1,00	19,30	60	60,00	1158
			brick	30x30		6		10,70			
			mosaico	30,5x30,5		11	1,02	19,70	54	55,24	1064
			muretto	20,5x45		7		13,00			
			gradino	30,5x30,5		12		20,16			
			gradone	30,5x30,5		6		13,92			
			angolare	30,5x30,5		2		4,52			
			battiscopa smaltato	10x61,4		12		20,00			
			battiscopa smaltato	7x30,5		30		12,50			
			elemento L nat/sand	40x16		3		7,00			

breaking strength

35 N/mm²DIN51097
DIN51130 static coefficient of frictionA
R10dry ≥ 0,88
wet ≥ 0,62

resistance to acid



GLA

DIN51097
DIN51130 static coefficient of frictionA+B+C
R12dry ≥ 0,97
wet ≥ 0,89

frost resistance



frost proof



color shade variations

autumn / winter
V3 moderate variation

stain resistance



5



color shade variations

multicolor
V4 substantial variation

in Mohs degrees

UNI EN 101
≥ 6The indicated weight includes
the supporting pallet

