



planches



**THORNTREE**  
natural stone • fine porcelain



miel strutturato 20x120 77/6" x 47 1/4"











miel 15x90 6"x35 7"







miel 15x90 6"x35<sup>3</sup>/<sub>7</sub>" . miel gradino 40x120x3 15<sup>3</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"x1<sup>1</sup>/<sub>8</sub>"







floor: choco 20x120 7<sup>1</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"



wall: i classici calacatta gold glossy 120x240 47<sup>1</sup>/<sub>4</sub>"x94<sup>3</sup>/<sub>8</sub>" calacatta gold matte muretto 7,5x15 3x6" floor:  
choco 20x120 7<sup>1</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"



choco 20x120 7'8" x 47'4"




























noisette 26,5x180 10<sup>3</sup>/<sub>16</sub>"x70<sup>6</sup>/<sub>16</sub>". 20x120 7<sup>1</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>8</sub>"



















wall: i classici marquinia glossy chain A+B+C 360x240 141<sup>1</sup>/<sub>2</sub>"x94<sup>3</sup>/<sub>8</sub>"  
floor: amande 20x120 7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" . 26,5x180 10<sup>3</sup>/<sub>8</sub>"x70<sup>6</sup>/<sub>8</sub>"










amande





noisette








choco



# planches

fine porcelain stoneware

10 mm 3/8"   
Thickness

26,5x180  
10<sup>3/16</sup>"x70<sup>5/16</sup>"

20x180  
7<sup>1/8</sup>"x70<sup>5/16</sup>"

20x120  
7<sup>1/8</sup>"x47<sup>1/4</sup>"

15x120  
6"x47<sup>1/4</sup>"

15x90  
6"x35<sup>3/16</sup>"

22,5x90  
8<sup>7/8</sup>"x35<sup>3/16</sup>"

20x120  
7<sup>1/8</sup>"x47<sup>1/4</sup>"



matte

strutturato  
structured

amande



755693

755698

755608

755666

755677

755682

755671

miel



755694

755699

755609

755667

755678

755683

755672

noisette



755696

755702

755611

755669

755680

755685

755674

perle



755695

755701

755610

755668

755679

755684

755673

choco



755697

755703

755612

755670

755681

755686

755675

<p>30x30 11<sup>3/4"</sup>x11<sup>3/4"</sup></p> <p>modulo listello tessere 7,5x30</p> 	<p>15x45 6"x17<sup>5/8"</sup></p> <p>modulo listello sfalsato</p> 	<p>4,6x60 1<sup>3/4"</sup>x23<sup>5/8"</sup></p> <p>battiscopa</p> 	<p>40x120x3 15<sup>3/4"</sup>x47<sup>1/4"</sup>x1<sup>1/8"</sup></p> <p>gradino</p> 	<p>40x120x3 15<sup>3/4"</sup>x47<sup>1/4"</sup>x1<sup>1/8"</sup></p> <p>angolo gradino dx</p> 	<p>40x120x3 15<sup>3/4"</sup>x47<sup>1/4"</sup>x1<sup>1/8"</sup></p> <p>angolo gradino sx</p> 	<p>40x120x3 15<sup>3/4"</sup>x47<sup>1/4"</sup>x1<sup>1/8"</sup></p> <p>angolo gradino dx/sx</p> 	<p>15x60x6 6"x23<sup>5/8"</sup>x2<sup>3/8"</sup></p> <p>elemento elle strutturato</p> 
special trims							
756077	756082	756087	756097	756102	756107	756112	756092
756078	756083	756088	756098	756103	756108	756113	756093
756080	756085	756090	756100	756105	756110	756115	756095
756079	756084	756089	756099	756104	756109	756114	756094
756081	756086	756091	756101	756106	756111	756116	756096

# planches

fine porcelain stoneware

10 mm 3/8" 

Thickness



décor amande  
80x80 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"  
755687



décor miel  
80x80 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"  
755688



décor noisette  
80x80 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"  
755690



décor perle  
80x80 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"  
755689




décor choco  
80x80 31<sup>1</sup>/<sub>2</sub>"x31<sup>1</sup>/<sub>2</sub>"  
755691




# planches


laying scheme




20x120 7<sup>11</sup>/<sub>16</sub>"x47<sup>1</sup>/<sub>4</sub>"




15x90 6"x35<sup>3</sup>/<sub>7</sub>"



15x90 6"x35<sup>3</sup>/<sub>7</sub>"



20x120 7<sup>11</sup>/<sub>16</sub>"x47<sup>1</sup>/<sub>4</sub>"



26,5x180 10<sup>3</sup>/<sub>7</sub>"x70<sup>5</sup>/<sub>7</sub>"  
20x180 7<sup>11</sup>/<sub>16</sub>"x70<sup>5</sup>/<sub>7</sub>"





Sistema di gestione della Qualità:  
Certificato n°. 50 100 1271

Sistema di gestione dell'Ambiente:  
Certificato n°. 50 100 100 74

Sistema di gestione della Salute e Sicurezza dei lavoratori:  
Certificato n°. 50 100 13825

Sistema di gestione dell'Energia:  
Certificato n°. 50 100 13545



EN 14411:2012

Dry-pressed ceramic tiles, with water absorption  
 $E_b \leq 0,5\%$ , for internal and external walls and floorings




GRADO DI VARIAZIONE CROMATICA - DEGREE OF COLOUR CHANGE - DEGRÉ DE VARIATION CHROMATIQUE - GRAD DER FARBAUFWICHLUNG - GRADO DE VARIACIÓN CROMÁTICA - СТЕПЕНЬ ХРОМАТИЧЕСКОГО ИЗМЕНЕНИЯ

 **LOW**  
THE LEAST AMOUNT OF SHADE AND TEXTURE VARIATION  
ATTAINABLE IN NATURALLY FIRED CLAY PRODUCTS.

V1

 **MODERATE**  
LIGHT TO MODERATE SHADE AND TEXTURE VARIATION  
WITHIN EACH CARTON.

V2

 **HIGH**  
HIGH SHADE AND TEXTURE VARIATION  
WITHIN EACH CARTON.

V3

 **RANDOM**  
VERY HIGH SHADE AND TEXTURE VARIATION  
WITHIN EACH CARTON.

V4

