



prexious



**THORNTREE**  
natural stone • fine porcelain



wall: white fantasy glossy 160x320 63"x126". floor: white fantasy matte 120x120 47'4"x47'4"





wall: white fantasy glossy 160x320 63"x126" extra light mink mosaico circle Ø 1,8 3/4"  
floor: white fantasy matte 120x120 47 1/4"x47 1/4"












wall: extra light mink mosaico circle Ø 1,8 3/4". floor: white fantasy matte 120x120 47 1/4"x47 1/4"









wall: dream arabesque matte 60x120 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>". floor: planches de rex miel 20x120 7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"









wall: dream arabesque matte 60x120 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"  
floor: planches de rex miel 20x120 7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"













wall: dream arabesque matte 60x120 23<sup>5/8</sup>"x47<sup>1/4</sup>". floor: planches de rex miel 20x120 7<sup>7/8</sup>"x47<sup>1/4</sup>"













wall: planches de rex amande 20x120 7<sup>7/8</sup>"x47<sup>1/4</sup>" 15x120 6"x47<sup>1/4</sup>"  
floor: dream arabesque glossy 120x120 47<sup>1/4</sup>"x47<sup>1/4</sup>"





wall: dream arabesque glossy 120x280 47<sup>1</sup>/<sub>4</sub>"x110<sup>1</sup>/<sub>4</sub>" planches de rex amande 20x120 7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" 15x120 6"x47<sup>1</sup>/<sub>4</sub>"  
floor: dream arabesque glossy 120x120 47<sup>1</sup>/<sub>4</sub>"x47<sup>1</sup>/<sub>4</sub>"










wall: thunder night glossy 120x120 47 1/4"x47 1/4"















wall: thunder night matte 120x280 47'"/>"x110'"/>". floor: planches de rex choco 26,5x180 10'"/>"x70'"/"





wall: thunder night matte 120x280 47<sup>1/4</sup>"x110<sup>1/4</sup>" extra light mink mosaico circle Ø 1,8 3/4" white fantasy matte 120x280 47<sup>1/4</sup>"x110<sup>1/4</sup>"  
floor: planches de rex choco 26,5x180 10<sup>2/3</sup>"x70<sup>2/3</sup>"





**Purple.** (F.-L.-Gk.) M. E. *purpura*  
(with *r*). - O. F. *purpura*, later *purpura*,  
purple. - L. *purpura*, purple-fish. -  
Gk. *porphyra*, purple; cf. Gk.  
*porphyra*, purple; cf. Gk.  
ithet of the  
reduplicated  
cently.





**Purple.** (F.-L.-Gk.) *M. E. purpura*  
(with *r*). - O. F. *purpura*, later *purpura*.  
the purple-fish -  
the fish; cf. Gk.  
an epithet of the  
appears, reduplicated  
up, stir violently,



– Gk.) M. E. *purpre*  
*urple*, later *pourpre*,  
*z*, the purple-fish. –  
purple-fish; cf. Gk.  
ig. an epithet of the  
*ρφύρειν*, reduplicated  
ix up, stir violently,  
*ur*, to be active.







wall: thunder night matte 120x280 47<sup>1/4</sup>"x110<sup>1/4</sup>"  
floor: planches choco 26,5x180 10<sup>2/3</sup>"x70<sup>2/3</sup>"



Le terre del Palmettano  
DIE ARENA VON VERONA

COMPTON  
L'ARTE DELLA  
L'ARTE DELLA  
L'ARTE DELLA  
L'ARTE DELLA  
L'ARTE DELLA  
L'ARTE DELLA

Nanni Galletti  
Grafica 2  
L'ARTE DELLA

IL TEATRO LA FENICE  
Ludwig Windstoßer Thilo Koch  
BREVE  
BERLIN  
Breve dispersa






wall: white fantasy matte. floor: white fantasy matte 120x120 47'1/4"x47'1/4"









wall: white fantasy matte . floor: white fantasy matte 120x120 47'/'4''x47'/'4''





wall: pearl attraction glossy 160x320 63"x126". floor: planches perle 20x120 7<sup>7</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>"





wall: pearl attraction glossy 160x320 63"x126" extra light diamond mosaico circle Ø 1,8 3/4"  
floor: planches perle 20x120 7'1/8"x47'1/4"









wall: pearl attraction glossy 160x320 63"x126" extra light diamond mosaico circle Ø 1,8 3/4"  
floor: planches perle 20x120 7'1/2"x47'1/4"













wall: pearl attraction glossy 160x320 63"x126" extra light diamond mosaico circle Ø 1,8 3/4"  
floor: planches perle 20x120 7'8"x47'4"





wall: extra light zinc mosaico circle Ø 1,8 3/4"  
floor: pearl attraction matte 120x120 47 1/4"x47 1/4"













wall: extra light zinc mosaico circle Ø 1,8 3/4"  
floor: pearl attraction matte 120x120 47 1/4"x47 1/4"





wall: charming amber glossy 160x320 63"x126". floor: charming amber glossy 160x160 63"x63"









wall: mountain treasure glossy 160x320 63"x126" washbasin/shower: florim stone color black matte 160x320 63"x126"  
floor: mountain treasure glossy 160x160 63"x63"













wall: mountain treasure glossy 160x320 63"x126" washbasin: florim stone color black matte 160x320 63"x126"  
floor: mountain treasure glossy 160x160 63"x63"





wall: mountain treasure glossy 160x320 63"x126" washbasin/shower: florim stone color black matte 160x320 63"x126"  
floor: mountain treasure glossy 160x160 63"x63"











white fantasy glossy

white fantasy matte







mountain treasure glossy

mountain treasure matte



pearl attraction glossy

pearl attraction matte







dream arabesque glossy

dream arabesque matte



charming amber glossy

charming amber matte








thunder night glossy

thunder night matte




# prexious

coloured body porcelain stoneware

10 mm 3/8"   
Thickness

80x180  
31 1/2"x70 5/7"



80x80  
31 1/2"x31 1/2"



60x120  
23 5/8"x47 1/4"



30x120  
11 4/5"x47 1/4"



60x60  
23 5/8"x23 5/8"



30x60  
11 4/5"x23 5/8"



80x180  
31 1/2"x70 5/7"



80x80  
31 1/2"x31 1/2"



glossy

matte

white  
fantasy



755815

755827

755843

755855


755867

755880

755809

755821

mountain  
treasure



755816

755828

755844

755856

755868

755881

755810

755822

pearl  
attraction



755819

755831

755847

755859

755871

755884

755813

755825

dream  
arabesque



755818

755830

755846

755858


755870

755883

755812

755824

chaming  
amber



755817

755829

755845

755857


755869

755882

755811

755823

thunder  
night



755820

755832

755848

755860












755872

755885

755814

755826



60x120 23 <sup>5</sup> / <sub>8</sub> "x47 <sup>1</sup> / <sub>4</sub> "	30x120 11 <sup>4</sup> / <sub>5</sub> "x47 <sup>1</sup> / <sub>4</sub> "	60x60 23 <sup>5</sup> / <sub>8</sub> "x23 <sup>5</sup> / <sub>8</sub> "	30x60 11 <sup>4</sup> / <sub>5</sub> "x23 <sup>5</sup> / <sub>8</sub> "	30x30 11 <sup>4</sup> / <sub>5</sub> "x11 <sup>4</sup> / <sub>5</sub> " mosaico tessere 3x15	30x30 11 <sup>4</sup> / <sub>5</sub> "x11 <sup>4</sup> / <sub>5</sub> " mosaico tessere 3x15	30x30 11 <sup>4</sup> / <sub>5</sub> "x11 <sup>4</sup> / <sub>5</sub> " mosaico mix 3D tessere 3x3	4,6x60 1 <sup>4</sup> / <sub>5</sub> "x23 <sup>5</sup> / <sub>8</sub> " battiscopa	33x120x3 13"x47 <sup>1</sup> / <sub>4</sub> "x1 <sup>1</sup> / <sub>8</sub> " gradino	4,6x60 1 <sup>4</sup> / <sub>5</sub> "x23 <sup>5</sup> / <sub>8</sub> " battiscopa	33x120x3 13"x47 <sup>1</sup> / <sub>4</sub> "x1 <sup>1</sup> / <sub>8</sub> " gradino
										
				glossy	matte	mix glossy/matte	special trims			
755833	755849	755861	755873	756310	756304	756316	756328	756340	756322	756334
755834	755850	755862	755875	756311	756305	756317	756329	756341	756323	756335
755837	755853	755865	755878	756314	756308	756320	756332	756344	756326	756338
755836	755852	755864	755877	756313	756307	756319	756331	756343	756325	756337
755835	755851	755863	755876	756312	756306	756318	756330	756342	756324	756336
755838	755854	755866	755879	756315	756309	756321	756333	756345	756327	756339




# prexious

coloured body porcelain stoneware

6 mm 1/4" ↑↓  
Thickness

magnUm®



glossy matte

	160x320 63"x126"	120x280 47 1/4"x110 1/4"	120x240 47 1/4"x94 1/2"	160x160 63"x63"	120x120 47 1/4"x47 1/4"	80x80 31 1/2"x31 1/2"	60x120 23 5/8"x47 1/4"	160x320 63"x126"
white fantasy	756424	757735	756285	756436	756388	756412	756400	756418
mountain treasure	756425	757736	756289	756437	756389	756413	756401	756419
pearl attraction	756426	757737	756288	756438	756390	756414	756402	756420
dream arabesque	756427	757738	756287	756439	756391	756415	756403	756421
charming amber	756428	757739	755840	756440	756392	756416	756404	756422
thunder night	756429	757740	756286	756441	756393	756417	756405	756423



120x280 47 <sup>1/4</sup> "x110 <sup>1/4</sup> "	120x240 47 <sup>1/4</sup> "x94 <sup>1/2</sup> "	160x160 63"x63"	120x120 47 <sup>1/4</sup> "x47 <sup>1/4</sup> "	80x80 31 <sup>1/2</sup> "x31 <sup>1/2</sup> "	60x120 23 <sup>5/8</sup> "x47 <sup>1/4</sup> "
-----------------------------------------------------	----------------------------------------------------	--------------------	----------------------------------------------------	--------------------------------------------------	---------------------------------------------------









757729	756290	756430	756382	756406	756394
757730	756295	756431	756383	756407	756395
757731	756293	756432	756384	756408	756396
757732	756292	756433	756385	756409	756397
757733	756294	756434	756386	756410	756398
757734	756291	756435	756387	756411	756399

Due to the different production technologies, contiguous installation of products with different thickness may give a non-homogeneous result. For this reason we do not recommend this option.














# prexious

coloured body porcelain stoneware

		30x30 11 <sup>4/5</sup> "x11 <sup>4/5</sup> " mosaico tessere 7,5x7,5		30x30 11 <sup>4/5</sup> "x11 <sup>4/5</sup> " muretto 7,5x15		30x30 11 <sup>4/5</sup> "x11 <sup>4/5</sup> " mosaico tessere 7,5x7,5		30x30 11 <sup>4/5</sup> "x11 <sup>4/5</sup> " muretto 7,5x15		4,6x80 1 <sup>4/5</sup> "x31 <sup>1/2</sup> " battiscopa		4,6x80 1 <sup>4/5</sup> "x31 <sup>1/2</sup> " battiscopa	
6 mm 1/4" ↑↓ Thickness										glossy		matte	
magnUm®		glossy		matte		special trims							
white fantasy		756364		756352		756358		756346		756376		756370	
mountain treasure		756365		756353		756359		756347		756377		756371	
pearl attraction		756368		756356		756362		756350		756380		756374	
dream arabesque		756367		756355		756361		756349		756379		756373	
charming amber		756366		756354		756360		756348		756378		756372	
thunder night		756369		756357		756363		756351		756381		756375	

Due to the different production technologies, contiguous installation of products with different thickness may give a non-homogeneous result. For this reason we do not recommend this option.

# prexious 10mm

COLOURED BODY PORCELAIN STONeware							
TECHNICAL CHARACTERISTICS							
Dry-pressed ceramic tiles. Quality specifications, according to control tests of E.N. 14411. Appendix G group B1a GL		STANDARD REQUIREMENTS		TEST RESULTS		REFERENCE STANDARD	
		N ≥ 15 cm		matte	glossy		
		(%)	(mm)				
	LUNGHEZZA E LARGHEZZA: DEVIAZIONE AMMISSIBILE IN %, DELLA DIMENSIONE MEDIA DI OGNI PIASTRELLA DALLA DIMENSIONE DI FABBRICAZIONE / LENGTH AND WIDTH: ADMITTED DEVIATION, IN %, OF THE AVERAGE SIZE OF EACH TILE FROM THE PRODUCTION DIMENSIONS / LONGUEUR ET LARGEUR : MARGE DE TOLÉRANCE, EN %, ENTRE LA DIMENSION MOYENNE DE CHAQUE CARREAU ET LA DIM. DE FABRICATION / LÄNGE UND BREITE: ZULÄSSIGE ABWEICHUNG DES DURCHSCHNITTMASSES JEDER FLIESE VOM HERSTELLMAß IN PROZENTEN / LARGO Y ANCHO: DESVIACION ADMISIBLE, EN %, DEL TAMAÑO MEDIO DE CADA BALDOSA A PARTIR DEL TAMAÑO DE FABRICACIÓN / Длина и ширина: допустимое отклонение в % среднего размера каждой плитки от производственных размеров	Squadrato ISO 13006	±0,3%	±1,0mm	±0,15%		
	DEVIAZIONE AMMISSIBILE, IN PERCENTO, DELLO SPESSORE MEDIO DI OGNI PIASTRELLA DALLA DIMENSIONE DI FABBRICAZIONE / ADMITTED DEVIATION, IN %, OF THE AVERAGE THICKNESS OF EACH TILE FROM THE PRODUCTION DIMENSIONS / MARGE DE TOLÉRANCE, EN POURCENTAGE, ENTRE L'ÉPAISSEUR MOYENNE DE CHAQUE CARREAU ET LA DIMENSION DE FABRICATION / ZULÄSSIGE ABWEICHUNG DER DURCHSCHNITTSDICKE JEDER FLIESE VOM HERSTELLMAß IN PROZENTEN / DESVIACION ADMISIBLE, EN TANTO POR CIENTO, DEL GROSOR MEDIO DE CADA BALDOSA A PARTIR DEL TAMAÑO DE FABRICACIÓN / Допустимое отклонение в процентах средней толщины каждой плитки от производственных размеров	-	±5,5%	±0,5 mm	±5%		
	DEVIAZIONE MASSIMA DI RETTILINEARITÀ, IN PERCENTO, IN RAPPORTO ALLE DIMENSIONI DI FABBRICAZIONE CORRISPONDENTI / MAXIMUM STRAIGHTNESS DEVIATION, IN %, IN RELATION TO THE CORRESPONDING PRODUCTION DIMENSIONS / MARGE DE TOLÉRANCE DE RECTITUDE, EN POURCENTAGE, PAR RAPPORT AUX DIMENSIONS DE FABRICATION CORRÉSPONDANTES / ZULÄSSIGE HÖCHSTABWEICHUNG DER KANTENGERADHEIT IM VERHÄLTNIß ZU DEN ENTSPRECHENDEN HERSTELLMAßEN IN PROZENTEN / DESVIACION MÁXIMA DE RECTITUD, EN TANTO POR CIENTO, EN RELACIÓN CON EL TAMAÑO DE FABRICACIÓN CORRÉSPONDIENTE / Максимальное отклонение прямолинейности в процентах, пропорционально соответствующим производственным размерам	Squadrato ISO 13006	±0,3%	±0,8 mm	±0,1%		ISO 10545-2
	DEVIAZIONE MASSIMA DI ORTOGONALITÀ, IN PERCENTO, IN RAPPORTO ALLE DIMENSIONI DI FABBRICAZIONE CORRISPONDENTI / MAXIMUM RIGHT-ANGLE DEVIATION, IN %, IN RELATION TO THE CORRESPONDING PRODUCTION DIMENSIONS / MARGE DE TOLÉRANCE D'ANGULARITÉ, EN POURCENTAGE, PAR RAPPORT AUX DIMENSIONS DE FABRICATION / HÖCHSTABWEICHUNG DER RECHTWINKLIGKEIT IM VERHÄLTNIß ZU DEN ENTSPRECHENDEN HERSTELLMAßEN IN PROZENTEN / DESVIACION MÁXIMA DE LA ORTOGONALIDAD, EN TANTO POR CIENTO, EN RELACIÓN CON EL TAMAÑO DE FABRICACIÓN CORRÉSPONDIENTE / Максимальное отклонение ортогональности в процентах, пропорционально соответствующим производственным размерам	Squadrato ISO 13006	±0,3%	±1,5 mm	±0,2%		
	PLANARITÀ (CURVATURA DEL CENTRO, DELLO SPICGOLO E SVERGOLAMENTO) / FLATNESS (CURVING IN THE MIDDLE CORNER AND WARPING) / PLANÉTÉ (OUIRURE CENTRALE, DE L'ARÊTE ET GAUCHISSEMENT) / EBENFLÄCHIGKEIT (KRÜMMUNG DER MITTE, DER KANTE UND VERWINDUNG) / PLANITUD (CURVATURA DEL CENTRO, DE LA ARISTA Y ABQUILLAMIENTO) / Плоскостность (изгиб центра, кромок и переко)	Squadrato ISO 13006	±0,4%	±1,8 mm	±0,35%		
QUALITÀ DELLA SUPERFICIE - SURFACE QUALITY / QUALITÉ DE LA SURFACE - QUALITÄT DER OBERFLÄCHE / CALIDAD DE LA SUPERFICIE / КАЧЕСТВО ПОВЕРХНОСТИ			Il 95% min delle piastrelle deve essere esente da difetti visibili. / At least 95% of the tiles must be free from visible flaws. 95% min des carreaux ne doivent présenter aucun défaut visible. Mindestens 95% der Fliesen müssen frei von sichtbaren Fehlern sein. / 95% de las baldosas tienen que estar exentas de defectos visibles / мин. 95% плитки не должны иметь видимых дефектов		CONFORME/CONFORMING CONFORME/KONFORM CONFORME/СОOТВЕТСТВУЕТ		
 MASSA D'ACQUA ASSORBITA IN % / WATER ABSORPTION - MASSE D'EAU ABSORBÉE EN % / WASSERAUFNAHME IN % / MASA DE AGUA ABSORBIDA EN % / Поглощающая масса воды %			E ≤ 0,5%		valore medio 0,08 %	ISO 10545-3	
 FORZA DI ROTTURA IN N (sp. ≥ 7,5 mm) - BREAKING STRENGTH IN N (thickness ≥ 7,5 mm) / FORCE DE RUPTURE EN N (ep. ≥ 7,5 mm) / BRUCHLAST IN N (Dicke ≥ 7,5 mm) / FUERZA DE ROTO EN N (gr. ≥ 7,5 mm) / Разрушающее усилие, Н (толщ. ≥ 7,5 мм)			1300 min		valore medio 3200 Newton	ISO 10545-4	
 RESISTENZA ALLA FLESSIONE IN N/mm2 / N/mm2 FLEXURAL STRENGTH TEST / RESISTANCE A LA FLEXION EN N/mm2 / BIEGESTÄRKE IN N/mm / RESISTENCIA A LA FLEXIÓN EN N/mm - Прочность при изгибе Н/мм			35 min		valore medio 50 N/mm2	ISO 10545-4	
 RESISTENZA ALL'ABRASIONE DELLE PIASTRELLE SMALTATE / RESISTANCE TO ABRASION OF GLAZED TILES / RESISTANCE À L'ABRASION DES CARREAUX ÉMAILLÉS / TIEFENABRIEFESTIGKEIT GLASIRTER FLIESEN / RESISTENCIA A LA ABRASIÓN DE LAS BALDOSAS ESMALTADAS / Стойкость к истиранию глазурированной плиток	COME DICHIARATO DAL PRODUTTORE SEE MANUFACTURER'S DECLARATION SELON DÉCLARATION DU PRODUCTEUR ENTSPRECHEND DER HERSTELLERANGABEN TAL COMO DECLARA EL FABRICANTE Согласно заявлениям			White Fantasy classe 4 Mountain Treasure classe 4 Pearl Attraction classe 3 Dream Arabesque classe 3 Charming Amber classe 2 Thunder Night classe 2	White Fantasy classe 4 Mountain Treasure classe 4 Pearl Attraction classe 2 Dream Arabesque classe 2 Charming Amber classe 2 Thunder Night classe 2	ISO 10545-7	
 RESISTENZA AGLI SBALZI TERMICI / THERMAL SHOCKS RESISTANT / RESISTANCE AUX VARIATIONS THERMIQUES / TEMPERATURWECHSELBESTÄNDIGKEIT / RESISTENCIA AL CHOQUE TÉRMICO / Стойкость к перепадам температуры			-		RESISTE - RÉSISTANT RESISTE - ERFÜLLT RESISTE - Стойкая	ISO 10545-9	
 RESISTENZA ALLE MACCHIE / RESISTANCE TO STAINING / RESISTANCE AUX TACHES / FLECKENABWEISEND / RESISTENCIA A LAS MANCHAS / Истойность к образованию пятен			Classe 3 min	Classe 4-5	Classe 3-4	ISO 10545-14	
 RESISTENZA A BASSE CONCENTRAZIONI DI ACIDI E ALCALI / RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALIS. / RESISTENCIA A BAJAS CONCENTRACIONES D'ACIDOS Y ALCALIS. / WIDERSTAND GEGEN NIEDRIGE KONZENTRATIONEN VON SAUREN UND LAUGEN. / RESISTENCIA A BAJAS CONCENTRACIONES DE ACIDOS Y ALCALIS. / Стойкость к кислотам и щелочам в низкой концентрации.	COME DICHIARATO DAL PRODUTTORE SEE MANUFACTURER'S DECLARATION SELON DÉCLARATION DU PRODUCTEUR ENTSPRECHEND DER HERSTELLERANGABEN TAL COMO DECLARA EL FABRICANTE Согласно заявлениям			GLA	GLB	ISO 10545-13	
 RESISTENZA AI PRODOTTI CHIMICI DI USO DOMESTICO E AGLI ADDITIVI PER PISCINA / RESISTENCE TO DOMESTIC CHEMICAL PRODUCTS AND ADDITIVES FOR SWIMMING POOLS / RESISTANT AUX PRODUITS CHIMIQUES À USAGE DOMESTIQUE ET AUX ADDITIFS POUR PISCINE / WIDERSTAND GEGEN HAUSHALTSCHIMIKALIEN UND SCHWIMMBADZULÄSSIGKEITSTOFFE / RESISTENCIA A PRODUCTOS PARA LIMPIEZA DOMÉSTICA Y ADITIVOS PARA PISCINAS / Стойкость к бытовым химическим веществам и добавкам для бассейнов			GB min	GA			
 RESISTENZA AL GELO / FROST RESISTANCE - RESISTANCE AU GEL / FROSTSICHERHEIT - RESISTENCIA A LA HELADA / Морозостойкость			RICHIESTA / REQUIRED REQUIRE / GEFORDET REQUERIDA / требуется		RESISTE - RÉSISTANT RESISTE - ERFÜLLT RESISTE - Стойкая	ISO 10545-12	
 COEFFICIENTE D'ATTRITO (SCIVOLosità) / FRICTION COEFFICIENT (SLIPPERINESS) / COEFFICIENT DE FRICTION (GLISSEMENT) / REIBUNGSKOEFFIZIENT (SCHLÜFFRIGKEIT) - COEFICIENTE DE ANTI DESLIZAMIENTO / Коэффициент трения			Wet >0,42	Wet >0,42	-	DCOF (section 9.6 ANSI A 137.1 2012)	

For optimal installation results, firm recommends maintaining a joint of 2 mm 1/12" for single format installations and 3 mm 1/8" to combine mixed formats





Sistema di gestione della Qualità:  
**Certificato n°. 50 100 1271**



Sistema di gestione dell'Ambiente:  
**Certificato n°. 50 100 100 74**

Sistema di gestione della Salute e Sicurezza dei lavoratori:  
**Certificato n°. 50 100 13825**

Sistema di gestione dell'Energia:  
**Certificato n°. 50 100 13545**



FLOOR OVERLAYS  
**magnUm**



DEGREE OF COLOUR CHANGE

**LOW**  
 THE LEAST AMOUNT OF SHADE AND TEXTURE VARIATION ATTAINABLE IN NATURALLY FIRED CLAY PRODUCTS.

V1

**MODERATE**  
 LIGHT TO MODERATE SHADE AND TEXTURE VARIATION WITHIN EACH CARTON.

V2  
 white fantasy/mountain treasure  
 charming amber

**HIGH**  
 HIGH SHADE AND TEXTURE VARIATION WITHIN EACH CARTON.

V3  
 pearl attraction

**RANDOM**  
 VERY HIGH SHADE AND TEXTURE VARIATION WITHIN EACH CARTON.

V4  
 dream arabesque  
 thunder night

