


TINTE



THORNTREE



TRAVELLING FAR AND BACK


We adore ideas that promise to carry us far away. Lively, imaginative ideas that can generate others and create a chain reaction. This is why we design ceramics that can evolve, cross borders and travel far.

We started from the triangle and its solid, unshakable perfection. An essential, elementary shape. Then came the colour and, after that, the movement. Step by step, meticulously dosing every change in tone.

Now these forms have multiplied. Ideas lead to new ideas, expanding precipitately. When we create something unprecedented, it always happens this way: a tremor rocks reality, filling it with new energy.

All our collections are a combination of internal references and transversal constants: a colour that binds the collections together, a size that distinguishes them or the sensation of one surface that recalls another.

We pursue ideas that travel far and then return with even more character than when they left.





TINTE

White body wall tiles

5X25CM
2"X10"


9MM

TINTE

From white to black via yellow ochre, antique pink, powder blue and metallised finishes, here, colour in all its different degrees of intensity, is king.

The long side of the strips stands out for its soft, bevelled edge and intense colour. Together they give this wall tile a dynamic momentum and make it an ideal combination for the LOGICA collection.

Its smooth, glossy surface also has a constantly appealing texture.



tinte giallo






tinte bianco, tortora, fango, carta da zucchero



tinte bianco, grigio chiaro, grigio medio, acquamarina



tinte bianco, grigio chiaro, tortora, rosa




tinte rosa
logica segmenti rosa




tinte acciaio
legnetti grigio





tinte bianco, grigio chiaro, grigio medio, nero




tinte verde



tinte giallo



*piastrelle con smalto metallizzato ad effetto crackle
*tiles with metallic glaze and crackle effect



Packaging

formato (cm) Pz Mq Kg
size (cm)
tinte 5x25 40 0,50 8,25


box



formato (cm) Box Mq Kg
size (cm)
tinte 5x25 90 45,00 763

pallet





COLOUR FORM MATTER

The idea we started from has come a long way and crossed many borders. It has developed into a multicolour style project that offers numerous key perspectives. One of these, and perhaps the main one, is colour.

The entire project is founded on white, powder blue, pink, grey and green that bring a sense of harmony to every shape, colour and matter. As its transversal allusions and internal echoes are both subtle and strong enough to match black and yellow ochre, metal and wood.


When combined, these elements create a solid and balanced style code that is so consistent, the range could almost be a single, grand collection. A single, grand collection with transversal echoes and allusions.



bianco logica, tinte, 3lati, riquadri, legnetti



carta da zucchero logica, tinte, 3lati, riquadri, legnetti



acquamarina logica, tinte, 3lati



rosa logica, tinte, 3lati



grigio logica, tinte, 3lati, riquadri, legnetti

TECHNICAL FEATURES



mix colori logica, tinte, 3lati, riquadri, legnetti

		white body wall tiles		
		standard	required standards	TINTE
dimensions	length and width	UNI-EN ISO 10545-2	± 0.5%	compliant
	thickness	UNI-EN ISO 10545-2	± 10%	compliant
	straightness of sides	UNI-EN ISO 10545-2	± 0.3%	compliant
	rectangularity	UNI-EN ISO 10545-2	± 0.5%	compliant
	surface flatness – centre curvature	UNI-EN ISO 10545-2	± 0.5% - 0.3%	compliant
	surface flatness – side curvature	UNI-EN ISO 10545-2	± 0.5% - 0.3%	compliant
	surface flatness – warping	UNI-EN ISO 10545-2	± 0.5%	compliant
bending strength	breaking of rupture	UNI-EN ISO 10545-4	> 600 N (≥ 7,5 MM) > 200 N (< 7,5 MM)	compliant
	modulus of rupture	UNI-EN ISO 10545-4	> 12 N/MM ² (≥ 7,5 MM) > 15 N/MM ² (< 7,5 MM)	compliant
	water absorption	UNI-EN ISO 10545-3	> 10 %	compliant
	colour resistance to light	DIN 51094	-	resistant
	linear thermal expansion coefficient (100° C)	UNI-EN ISO 10545-8	test method available	test method available
	thermal shock resistance	UNI-EN ISO 10545-9	-	resistant*
	frost resistance	UNI-EN ISO 10545-12	-	-
	crazing resistance	UNI-EN ISO 10545-11	-	resistant*
	resistance to stains	UNI-EN ISO 10545-14	CLASSE 3 MIN.	Class 5*
	chemical resistance	UNI-EN ISO 10545-13	GB MIN.	guaranteed* (GA GLA GHA)
	lead and cadmium given off	UNI-EN ISO 10545-15	METODO DISPONIBILE test method available	test method available
	reaction to fire	EN 13501-1	-	A1
	shade variations	-	-	BIANCO - NERO: V1 ALTRI COLORI/ OTHER COLORS: V3

* EXCLUDING METALLIC COLOURS (oro, bronzo, acciaio)

GLAZED WHITE-BODIED POROUS SINGLE-FIRED WALL TILES

Dry-pressed ceramic tiles with water absorption Eb > 10 %. Quality specification, according to control test of EN14411:2013 appendix L group BIII GL