

Ibla

4 COLOURS

5 SIZES

2 SURFACES

Ibla is a latest-generation porcelain stoneware series with an extremely rich assortment, offering the architect countless potentials for use, all perfectly matchable as the basis for architectural projects with the highest technical and aesthetic values, as a great creative tradition is paired with Italian excellence in technological and production innovation.

Ibla






Asphalt rock is a soft limestone impregnated with variable percentages of natural fossil hydrocarbons (bitumen). “Pietra Pece”, distinctive to the city of Ragusa, is a special Italian form of asphalt rock known for its unique colouring ranging from pale grey to dark brown and black; its fossils, veining and strong stippling give its surface character and depth of colour. Thanks to its workability, for many centuries it was central to the art and culture of the ancient part of Ragusa, known in past centuries as “Ibla” because its people, of Greek origin, venerated a goddess of that name. This slice of Mediterranean history, with its people and the special material they used to build their city over the centuries, now gives its name to a porcelain stoneware collection: Ibla.

Inspiration & Technology

	PAGE
Synchronized Digital Structured Surface	6
Three-dimensional Relief Decorations	8
Ibla Inspiration & Technology	5

The “Synchro Digit” digital surface structure, exclusively developed at the Piemme plants, combined with high resolution printing at 300 DPI, provides a material with a uniquely hyper-realistic appearance and outstanding technical and aesthetic qualities. The soft three-dimensional surface is no longer formed by pressing and is therefore free from the repetitive constraints of classic ceramic moulds; moreover, it is perfectly synchronised with the graphics on the surface.




Three-dimensional Relief Decorations

Special three-dimensional relief decorations with an evident Sicilian inspiration, such as traditional lace that is recalled by the “Tombolo” decoration, or by the “Zagara” flower, are enhanced by the new “Synchro Digit” three-dimensional decoration technology, thanks to the perfect combination of tactile and visual sensations.

60×119,5 - 24”×47⅞” Tombolo Dark Lappato Rettificato





Villa Ibla

Residential Spaces



COLOURS

AMBIENT

PAGE

Ibla Nera	Living	15
Ibla Colofonia	Kitchen	19
Ibla Nera	Dining Room	22
Ibla Nera / Tombolo - Zagara Dark	Bathroom	26
Ibla Colofonia	Patio	30
Ibla Resina	Terrace	34
Ibla Resina	Studio	36
Ibla Linfa / Zagara Light	Studio	39
Ibla Resina / Zagara Mid	Bedroom	40
Ibla Linfa / Tombolo / Zagara Dark	Bathroom	44

Villa Ibla

The Piemme development laboratory draws inspiration from Ragusa’s “Pietra Pece” and offers it in four elegant ceramic variants, ranging from black to white and from grey to beige, and combining it with a home design style focused on the high-grade restoration of historic buildings, with decidedly contemporary inclusions.

60×119,5 - 24”×47½” Ibla Nera Lappato Rettificato

30×119,5 - 12”×47½” Ibla Nera Lappato Rettificato





Ibla Colofonia

As well as the most classical 60x119.5 and 60x60 sizes, the Ibla assortment also includes the long plank size 30x119.5, which amplifies, amalgamates and infinitely combines the range's fascinating colour effects and can be installed in many layouts as either a floor or a wall covering.

60×60 - 24”×24” Ibla Colofonia Lappato Rettificato

30×119,5 - 12”×47½” Ibla Colofonia Naturale Rettificato
30×30 - 12”×12” Ragusa Ibla Colofonia Mix Lappato Naturale



Ibla
Residential Spaces

Ibla Colofonia

The particular surface lapping emphasises the immense textured depth of the warm hues of Ibla.
The distressed effect provided by the polishing of the relief surfaces adds a distinctive beauty to interiors.

60×60 - 24”×24” Ibla Colofonia Lappato Rettificato



Ibla
Residential Spaces



Ibla Nera


The exquisite small plank 10x60 and chevron 10x53 sizes are the basis respectively for Italian (right-angle block) and French (chevron) herringbone patterns, both very popular in today's interior design; this modern reinterpretation of these great classics enables their use in modern, warm, sophisticated design schemes.

10×60 - 4”×24” Listoncino Ibla Nera Lappato Rettificato



Ibla
Residential Spaces







Ibla Colofonia

The specific “Ragusa” mosaic created with a double natural and lapped surface is in a position to maximise the design in any setting.

30×119,5 - 12”×47½” Ibla Colofonia Naturale Rettificato

30×30 - 12”×12” Ragusa Ibla Colofonia Mix Lappato Naturale



Ibla Resina

Ibla is a concentrate of perfect, state-of-the-art ceramic applications, able to add value to any location with modern, elegant details while delivering the highest technical performances in terms of strength, frost-resistance, non-absorbency and hygiene offered by modern porcelain stoneware, manufactured in state-of-the-art plants and compliant with the highest international quality standards.

10×60 - 4”×24” Listoncino Ibla Resina Naturale Rettificato



Ibla
Residential Spaces









Ibla Linfa / Tombolo Dark - Light / Zagara Dark

60×119,5 - 24”×47½” Ibla Linfa Naturale Rettificato
60×119,5 - 24”×47½” Tombolo Dark - Light Lap/Ret
28,2×28,5 - 11”×11¼” Opus Linfa Mix Lappato/Naturale



30×119,5 - 12”×47½” Ibla Linfa Lap/Ret - Ibla Nera Nat/Ret
60×119,5 - 24”×47½” Zagara Dark Naturale Rettificato

Counter Top Ibla Nera 119×50×10 - 47”×20”×4” (modello CT03 - 03242)
Piatto Doccia Materia Deep 90×90 - 36”×36” (modello PD01 - 03245)





Ibla Linfa / Tombolo Dark - Light

60×119,5 - 24”×47½” Ibla Linfa Naturale Rettificato
60×119,5 - 24”×47½” Tombolo Dark Lappato Rettificato



60×119,5 - 24”×47½” Tombolo Light Lappato Rettificato

30×119,5 - 12”×47½” Ibla Linfa Lappato Rettificato



Ibla Linfa

The “Ragusa” and “Opus” distinctive craft-inspired mosaics, available in two finishes, natural and honed, beautify interiors and create warm, enticing ambiances.

60×119,5 - 24”×47½” Ibla Linfa Naturale Rettificato


28,2×28,5 - 11”×11¼” Opus Ibla Linfa Mix Lappato Naturale



Ibla
Residential Spaces

4

Colori
Colours
Farben
Couleurs



5

Formati
Sizes
Formate
Formats

*60×119,5

24”×47⅙”

*30×119,5

12”×47⅙”

*60×60

24”×24”

*10×60

4”×24”

*10×53

4”×20”

*Attenzione: verificare in fase di ordine il codice e l'imballo / Note: In the ordering phase please check code and packaging / Bitteachten: Beim Bestellen bitte die Kodenummer und die Verpackung kontrollieren / Attention : Merci de vérifier emballage et la référence au moment de la commande

1

Spessori
Thickness
Stärke
Epaisseur

±9,5

2

Superfici
Surfaces
Oberflächen
Surfaces

Naturale Lappato

1

Strutture 3D
3D structures
Strukturen
Décorations en relief



i

Synchronized digital structured surface Coloured-body fine porcelain stoneware Stone Look Wall Tiles Floor Tiles



Ibla Linfa

For best installation results, we suggest taking the tiles from 5/6 boxes at the same time.



± 9,5

60×119,5 - 24"×47½"
03976 | Ibla Linfa Nat/Ret
03980 | Ibla Linfa Lap/Ret



± 9,5

60×60 - 24"×24"
03984 | Ibla Linfa Nat/Ret
03988 | Ibla Linfa Lap/Ret



28,2×28,5 - 11"×11½"
04007 | Opus Linfa Mix Lap/Nat



± 9,5

30×119,5 - 12"×47½"
03992 | Ibla Linfa Nat/Ret
03996 | Ibla Linfa Lap/Ret



10×53 - 4"×20"
04016 | Chevron Linfa Nat/Ret
04021 | Chevron Linfa Lap/Ret



30×30 - 12"×12"
04012 | Ragusa Linfa Mix Lap/Nat



60×119,5 - 24"×47½"
04004 | Ibla Zagara Light Nat/Ret



10×60 - 4"×24"
04025 | Listoncino Linfa Nat/Ret
04029 | Listoncino Linfa Lap/Ret




60×119,5 - 24"×47½"
04002 | Ibla Tombolo Light Lap/Ret


Special pieces



Battiscopa 4,5×60 ± 9,5



Gradino Costa Retta 33×119,5 ± 9,5



Ibla Colofonia

For best installation results, we suggest taking the tiles from 5/6 boxes at the same time.



± 9,5

60×119,5 – 24”×47½”
03977 | Ibla Colofonia Nat/Ret
03981 | Ibla Colofonia Lap/Ret



± 9,5

60×60 – 24”×24”
03985 | Ibla Colofonia Nat/Ret
03989 | Ibla Colofonia Lap/Ret



28,2×28,5 – 11”×11½”
04008 | Opus Colofonia Mix Lap/Nat



± 9,5

30×119,5 – 12”×47½”
03993 | Ibla Colofonia Nat/Ret
03997 | Ibla Colofonia Lap/Ret





10×53 – 4”×20”
04017 | Chevron Colofonia Nat/Ret
04022 | Chevron Colofonia Lap/Ret



30×30 – 12”×12”
04013 | Ragusa Colofonia Mix Lap/Nat



10×60 – 4”×24”
04026 | Listoncino Colofonia Nat/Ret
04031 | Listoncino Colofonia Lap/Ret





Ibla Resina

For best installation results, we suggest taking the tiles from 5/6 boxes at the same time.



60×119,5 - 24"×47½"
03978 | Ibla Resina Nat/Ret
03982 | Ibla Resina Lap/Ret



60×60 - 24"×24"
03986 | Ibla Resina Nat/Ret
03990 | Ibla Resina Lap/Ret



28,2×28,5 - 11"×11½"
04009 | Opus Resina Mix Lap/Nat



30×119,5 - 12"×47½"
03994 | Ibla Resina Nat/Ret
03998 | Ibla Resina Lap/Ret



10×53 - 4"×20"
04018 | Chevron Resina Nat/Ret
04023 | Chevron Resina Lap/Ret





30×30 - 12"×12"
04014 | Ragusa Resina Mix Lap/Nat



60×119,5 - 24"×47½"
04005 | Ibla Zagara Mid Nat/Ret



10×60 - 4"×24"
04027 | Listoncino Resina Nat/Ret
04032 | Listoncino Resina Lap/Ret





Ibla Nera

For best installation results, we suggest taking the tiles from 5/6 boxes at the same time.



± 9,5

60×119,5 - 24"×47½"

03975 | Ibla Nera Nat/Ret
03979 | Ibla Nera Lap/Ret



± 9,5

60×60 - 24"×24"

03983 | Ibla Nera Nat/Ret
03987 | Ibla Nera Lap/Ret



28,2×28,5 - 11"×11½"

04006 | Opus Nera Mix Lap/Nat



± 9,5

30×119,5 - 12"×47½"

03991 | Ibla Nera Nat/Ret
03995 | Ibla Nera Lap/Ret



10×53 - 4"×20"

04015 | Ibla Chevron Nera Nat/Ret
04019 | Ibla Chevron Nera Lap/Ret



30×30 - 12"×12"

04011 | Ragusa Nera Mix Lap/Nat



60×119,5 - 24"×47½"

04003 | Ibla Zagara Dark Nat/Ret



10×60 - 4"×24"


04024 | Listoncino Nera Nat/Ret
04028 | Listoncino Nera Lap/Ret




60×119,5 - 24"×47½"

04001 | Ibla Tombolo Dark Lap/Ret

Special pieces



Battiscopa 4,5×60 ± 9,5



Gradino Costa Retta 33×119,5 ± 9,5

Collection

Formati Sizes															Pezzi Speciali Special Pieces	
		*60×119,5 24"×47½"	*30×119,5 12"×47½"	*60×60 24"×24"	Listoncino *10×60 4"×24"	Chevron *10×53 4"×20"	DIN 51130	DIN 51097	DCOF	BS EN 7976-2	Zagara *60×119,5 24"×47½"	Tombolo *60×119,5 24"×47½"	Opus Mix *28,2×28,5 11"×11½"	Ragusa Mix *30×30 12"×12"	Gradino Costa Retta 33×119,5 13"×47½"	Battiscopa 4,5×60 1½"×24"
		± 9,5	± 9,5	± 9,5	± 9,5	± 9,5					± 9,5	± 9,5	± 9,5	± 9,5	± 9,5	± 9,5
 Ibla Linfa	Nat/Ret	03976	03992	03984	04025	04016	V3	R10	A+B	>0.42	P3	04004			04043	04034
	Lap/Ret	03980	03996	03988	04029	04021		R9	A	>0.42		04002			04047	04038
	Lap/Nat												04007	04012		
 Ibla Colofonia	Nat/Ret	03977	03993	03985	04026	04017	V3	R10	A+B	>0.42	P3				04044	04035
	Lap/Ret	03981	03997	03989	04031	04022		R9	A	>0.42					04048	04039
	Lap/Nat												04008	04013		
 Ibla Resina	Nat/Ret	03978	03994	03986	04027	04018	V3	R10	A+B	>0.42	P3	04005			04045	04036
	Lap/Ret	03982	03998	03990	04032	04023		R9	A	>0.42					04049	04041
	Lap/Nat												04009	04014		
 Ibla Nera	Nat/Ret	03975	03991	03983	04024	04015	V3	R10	A+B	>0.42	P3	04003			04042	04033
	Lap/Ret	03979	03995	03987	04028	04019		R9	A	>0.42			04001		04046	04037
	Lap/Nat												04006	04011		

*Note: In the ordering phase please check code and packaging

Packing

Formati Sizes		± MM	 Pezzi Scatola Pieces/Box Stck/Karton Carreaux/Boîte	 Mq/Scatola Sqmt/Box Qm/Karton M2/Boîte	 Kg/Scatola Kgs/Box Kg/Karton Kg/Boîte	 Scatole/Paletta Boxes/Pallet Karton/Palette Boîte/Palette	 Mq/Paletta Sqmt/Pallet Qm/Pallet M2/Palette	 Kg/Paletta Kgs/Pallet Kg/Pallet Kg/Palette	 Formato Paletta Size Pallet Format Pallet Dim. Palette
*60×119,5 (24"×47½") Nat/Ret - Lap/Ret	P	9,5	2	1,434	31,00	30	43,02	930	120x80x75
*30×119,5 (12"×47½") Nat/Ret - Lap/Ret	P	9,5	4	1,434	31,00	36	51,62	1116	120x80x45
*60×60 (24"×24") Nat/Ret - Lap/Ret	P	9,5	3	1,08	21,50	40	43,2	860	120x80x75
*60×119,5 (24"×47½") Tombolo Lap/Ret	P	9,5	2	1,434	31,00	30	43,02	930	120x80x75
*60×119,5 (24"×47½") Zagara Nat/Ret	P	9,5	2	1,434	31,00	30	43,02	930	120x80x75
*10×60 (4"×24") Listoncino Nat/Ret - Lap/Ret	P	9,5	10	0,6	12,50	72	43,20	900	120×80×75
*10×53 (4"×20") Chevron Nat/Ret - Lap/Ret	P	9,5	12	0,636	13,20	60	38,16	792	120x80x75
*28,2×28,5 (11"×11½") Opus Mix Lap/Nat	P	9,5	6	0,482	9,5	60	-	-	-
*30×30 (12"×12") Ragusa Mix Lap/Nat	P	9,5	5	0,45	8,5	60	-	-	-
Pezzi Speciali / Special Pieces									
33×119,5 (13"×47½") Gradino Costa Retta Nat/Ret - Lap/Ret	P	9,5	2	0,789	18,50	20	-	-	-
4,5×60 (1½"×24") Battiscopa Nat/Ret - Lap/Ret	P	9,5	14	0,378 m.l. 8,40	8,00	80	-	-	-



New sizes / packaging, for a sustainable future





Formato Commerciale Commercial Size Nennformat Format Nominal	Formato Tecnico Technical Size Produktionsformat Dimension / Format de Fabrication	± MM	Pezzi Scatola Pieces/Box Stck/Karton Carreaux/Boîte	Mq/Scatola Sqmt/Box Qm/Karton M2/Boîte	Kg/Scatola Kgs/Box Kg/Karton Kg/Boîte	Scatole/Paletta Boxes/Pallet Karton/Palette Boîte/Palette	Mq/Paletta Sqmt/Pallet Qm/Pallet M2/Palette	Kg/Paletta Kgs/Pallet Kg/Pallet Kg/Palette
60×60	59,8×59,8	9,5	4	1,440	29,00	32	46,08	928,00
60×120	59,8×119,8	9,5	2	1,440	31,00	30	43,20	930,00
30×120	29,8×119,8	9,5	4	1,440	24,00	36	51,84	864,00

Special pieces

Battiscopa Nat/Ret 4,5×60 – 1¼”×24” ± 9,5
Battiscopa Lap/Ret 4,5×60 – 1¼”×24” ± 9,5



Gradino Costa Retta Nat/Ret 33×119,5 – 13”×47⅞” ± 9,5
Gradino Costa Retta Lap/Ret 33×119,5 – 13”×47⅞” ± 9,5
(costa retta ottenuto per taglio e incollaggio - obtained by cutting ang gluing)



Technical characteristics

CLASSIFICAZIONE SECONDO NORME EN 14411 BI_A – ISO 13006 - CLASSIFICATION IN ACCORDANCE WITH EN 14411 BI_A – ISO 13006
KLASSIFIZIERUNG GEMÄSS NORMEN EN 14411 BI_A – ISO 13006 - CLASSIFICATION SELON LES NORMES EN 14411 BI_A – ISO 13006

	CARATTERISTICA TECNICA TECHNICAL CHARACTERISTIC TECHNISCHE DATE CARACTÉRISTIQUE TECHNIQUE	NORMA NORM NORM NORME	VALORE PRESCRITTO VALUE REQUIRED NORMVORGABE VALEUR PRESCRITE	VALORE MEDIO MEAN VALUE MITTELWERT VALEUR MOYENNE CERAMICHEPIEMME: FLOOR AND MORE	NORMA NORM NORM NORME	VALORE MEDIO MEAN VALUE MITTELWERT VALEUR MOYENNE CERAMICHEPIEMME: FLOOR AND MORE
	LUNGHEZZA E LARGHEZZA LENGHT AND WIDTH / LÄNGE UND BREITE / LONGUEUR ET LARGEUR		±0.6% (±2.00 MM)			
	SPessore THICKNESS / STÄRKE / ÉPAISSEUR		±5% (±0.5 MM)			
	RETILINEITÀ LATI WARPAGES OF EDGES / GERADHEIT DER KANTEN / RÉCTITUDE DES ARÊTES	ISO 10545.2	±0.5% (±1.5 MM)	CONFORME IN ACCORDANCE ERFÜLLT CONFORME	ASTM C-499 ASTM C-485 ASTM C-502	IN ACCORDANCE
	ORTOGONALITÀ WEDGING / RECHTWINKLIGKEIT / ORTHOGONALITÉ		±0.5% (±2.00 MM)			
	PLANARITÀ FLATNESS / PLANITÄT / PLANIMÉTRIE		±0.5% (±2.00 MM)			
	ASSORBIMENTO % D'ACQUA WATER ABSORPTION WASSERAUFNAHME % ABSORPTION D'EAU %	ISO 10545.3	≤ 0.5%	CONFORME IN ACCORDANCE ERFÜLLT CONFORME	ASTM C-373	IN ACCORDANCE
	RESISTENZA ALLA FLESSIONE BENDING STRENGTH BIEGEZUGFESTIGKEIT RÉSISTANCE À LA FLEXION	ISO 10545.4	Modulus of rupture (average): R ≥ 35N/mm² Breaking strength for thickness ≥ 7.5 mm S > 1300 N	CONFORME IN ACCORDANCE ERFÜLLT CONFORME	ASTM C-648 250 LBS OR GREATER	IN ACCORDANCE
	DILATAZIONE TERMICA LINEARE TRA 20° E 100° C LINEAR THERMAL EXPANSION BETWEEN 20° AND 100° C LINEARE WÄRMEAUSENDHUNG ZWISCHEN 20° UND 100° C DILATATION THERMIQUE LINÉAIRE ENTRE 20° ET 100° C	ISO 10545.8	SECONDO I DATI DEL COSTRUTTORE ACCORDING TO BUILDER'S SPECIFICATIONS LAUT ANGABEN DES HERSTELLERS SELON LES ELEMENTS DU COSTRUCTEUR	= 7X10 ⁻⁶ C ⁻¹		
	RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE TEMPERATURWECHSELBESTÄNDIGKEIT RÉSISTANCE AUX ÉCARTS DE TEMPÉRATURE	ISO 10545.9	RICHIESTA REQUEST BITTE DEMANDE	RESISTENTE RESISTANT WIDERSTEHEND RÉSISTANT		
	RESISTENZA AL GELO FROST RESISTANCE FROSTBESTÄNDIGKEIT RÉSISTANCE AU GEL	ISO 10545.12	RICHIESTA REQUEST BITTE DEMANDE	RESISTENTE RESISTANT WIDERSTEHEND RÉSISTANT	ASTM C-1026	IN ACCORDANCE
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICAL ATTACK BESTÄNDIGKEIT GEGEN CHEMIKALIEN RÉSISTANCE À L'ATTAQUE CHIMIQUE	ISO 10545.13	SECONDO I DATI DEL COSTRUTTORE ACCORDING TO BUILDER'S SPECIFICATIONS LAUT ANGABEN DES HERSTELLERS SELON LES ELEMENTS DU COSTRUCTEUR	RESISTENTE RESISTANT WIDERSTEHEND RÉSISTANT	ASTM C-650	IN ACCORDANCE
	RESISTENZA DEI COLORI ALLA LUCE COLOURS RESISTANCE TO LIGHT LICHTBESTÄNDIGKEIT RÉSISTANCE DES COULEURS À LA LUMIÈRE	DIN 51094	NESSUNA ALTERAZIONE NO ALTERATION KEINE VERÄNDERUNG AUCUNE ALÉRATION	CONFORME IN ACCORDANCE ERFÜLLT CONFORME		
	RESISTENZA ALLE MACCHIE STAIN RESISTANCE FLECKENFESTIGKEIT RÉSISTANCE AUX TACHES	ISO 10545.14	≥ CLASSE 3 METODO DI PROVA DISPONIBILE TEST METHOD AVAILABLE VERFÜGBARE PRÜFMETHODE METHODE D'ESSAI DISPONIBLE	CONFORME IN ACCORDANCE ERFÜLLT CONFORME		
	RESISTENZA ALLO SCIVOLAMENTO SLIPPAGE RESISTANCE RUTSCHSICHERHEIT RÉSISTANCE AU GLISSEMENT	DIN 51130 *	9 ≤ R ≤13	NAT R10	ASTM C-1028 * COF ≥ 0.6 DRY ≥ 0.6 WET	NAT LAP
		DIN 51097 *	A,B,C	NAT A+B	ANSI * 137.1-2012 DCOF > 0.42 WET	NAT LAP
		BS EN 7976-2*	> 36 DRY > 36 WET	NAT Dry/Wet > 36	AS 4586: 2013 CLASS	NAT P3
				LAP		LAP

*TRATTANDOSI DI NORMATIVE NAZIONALI, I METODI DI PROVA, I REQUISITI E LE CLASSIFICAZIONI VARIANO DA PAESE A PAESE. IL VALORE ATTESO DALLA RESISTENZA ALLO SCIVOLAMENTO DELLA PRODUZIONE DI INDUSTRIE CERAMICHE PIEMME S.P.A., PUÒ VARIARE IN BASE AL LOTTO PRODUTTIVO. SPECIFICA DOCUMENTAZIONE È DISPONIBILE SU RICHIESTA.
TEST METHODS, REQUIREMENTS AND CLASSIFICATIONS DIFFER FROM COUNTRY TO COUNTRY, ACCORDING TO THE NATIONAL REGULATIONS. THE EXPECTED VALUE OF SLIPPAGE RESISTANCE OF PRODUCTS BY INDUSTRIE CERAMICHE PIEMME S.P.A. MAY VARY DEPENDING ON THE PRODUCTION BATCH. SPECIFIC DOCUMENTS ARE AVAILABLE UPON REQUEST.
PRÜFVERFAHREN, ERFORDERNISSE UND KLASSIFIKATIONEN SIND VERSCHIEDEN VON LAND ZU LAND, GEMÄSS DER NATIONALEN VORSCHRIFTEN. DER ERWARTUNGSWERT DER RUTSCHSICHERHEIT DER PRODUKTE VON INDUSTRIE CERAMICHE PIEMME S.P.A. KANN SICH - JE NACH DER PRODUKTIONSPARTIE - VERÄNDERN. SPEZIFISCHE UNTERLAGEN SIND AUF VERLANGEN ZUR VERFÜGUNG.
LES MÉTHODES D'ESSAI, LES RÉQUISITIONS ET LES CLASSIFICATIONS CHANGENT DE PAYS À PAYS, SELON LES RÉGLEMENTATIONS NATIONALES. LA VALEUR ATTENDUE DE RÉSISTANCE AU GLISSEMENT DES PRODUITS DE INDUSTRIE CERAMICHE PIEMME S.P.A. PEUT VARIER EN FONCTION DU LOT DE PRODUCTION. UNE DOCUMENTATION SPÉCIFIQUE EST DISPONIBLE SUR DEMANDE.

ELENCO DELLE SERIE CERTIFICATE E CLASSIFICAZIONI DISPONIBILI A RICHIESTA - LIST OF CERTIFIED SERIES AND CLASSIFICATIONS AVAILABLE UPON REQUEST
LISTE DER GEPRÜFTEN SERIE UND KLASSIFIZIERUNGEN AUF ANFRAGE ERHÄLTlich - LISTE DES SERIES CERTIFIÉES ET DES CLASSEMENTS DISPONIBLES SUR DEMANDE



Installation and maintenance instructions

- To completely eliminate installation residues, which could negatively affect routine maintenance and product characteristics once installation has terminated, proceed to clean using adequate products, with max. 3% Acid base, following the manufacturer's instructions. Always closely abide by the time limits indicated in the instructions: prolonged contact with these products may cause damage to the surface.
- Any rims that appear after installing lapped or polished materials can be easily eliminated using a suitable Alkaline-based product.

TYPE OF STAIN	CLEANING SUGGESTIONS
beer, coffee, wine, ice cream vegetable and animal fats, rubber, remains of scotch tape, grease from machines, linseed oil, felt tip pens, paints, inks, hair dye	Alkaline-based detergent
protective anti-abrasion wax, calcareous residuals, rust stains	Acid-based detergent
candle wax, remains of scotch-tape	Solvents

Reading Guide



Thickness

Color shade variations

Skid resistance

V1

Uniform apperance

V2

Slight variation

V3

Moderate variation

V4

Random variation

DIN 51130	DIN 51097	DCOF
R10	A+B	>0,42

All sizes are nominal.

The thickness mentioned on this catalogue are nominal and can be different according to the sizes and the finishes.

The colours and appearance features of the products are as close as possible to reality, within the limitation of the printing process.

