


ACCADEMIA, ALBERONI, ARLECCHINO, BALLANZONE,
BAUTA, BIANCONERO 01, BIANCONERO 02,
BIANCONERO 03, BUCINTORO, BURANO



TESTING DATA

Water Absorption: 5.16 - 6.85 %
Flexural Strength: 7.7 - 8.5 MPa
Frost Resistance: Not Applicable
Apparent Density: 2.4 - 2.6 kg/dm³

APPLICATION

Coping: No
Countertop: Yes
Exterior Cladding: Yes
Exterior Countertop: Yes
Exterior Tile: Yes

Exterior Paver: Yes
Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes


PACKING DETAILS

Per Order

INFORMATION

Terrazzo Project is available in custom sizes, thicknesses, finishes and formats. Please contact info@thorntreeslate.com for additional information.

CALLE, CEPPO, CERTOSA, CIOTOLO 01,
CIOTOLO 02, CIOTOLO 03, CLASSICO
NERO, CLASSICO VERDE, DAMA, DOGE



TESTING DATA

Water Absorption: 5.16 - 6.85 %
Flexural Strength: 7.7 - 8.5 MPa
Frost Resistance: Not Applicable
Apparent Density: 2.4 - 2.6 kg/dm³

APPLICATION

Coping: No
Countertop: Yes
Exterior Cladding: Yes
Exterior Countertop: Yes
Exterior Tile: Yes

Exterior Paver: Yes
Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes


PACKING DETAILS

Per Order

INFORMATION

Terrazzo Project is available in custom sizes, thicknesses, finishes and formats. Please contact info@thorntreeslate.com for additional information.

DOMINO, DUCALE, GOCCIA 01,
GOCCIA 02, GOCCIA 03, IL MORO, LA
FENICE, LAGUNA, LIDO, MODA



TESTING DATA

Water Absorption: 5.16 - 6.85 %
Flexural Strength: 7.7 - 8.5 MPa
Frost Resistance: Not Applicable
Apparent Density: 2.4 - 2.6 kg/dm³

APPLICATION

Coping: No
Countertop: Yes
Exterior Cladding: Yes
Exterior Countertop: Yes
Exterior Tile: Yes

Exterior Paver: Yes
Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes


PACKING DETAILS

Per Order

INFORMATION

Terrazzo Project is available in custom sizes, thicknesses, finishes and formats. Please contact info@thorntreeslate.com for additional information.

MORETTA, POVELIA, PULCINELLA,
RIALTO, RIO, SAN MARCO, SESTIERO,
TORCELLO, TRONCHETTO, VIGNOLE



TESTING DATA

Water Absorption: 5.16 - 6.85 %
Flexural Strength: 7.7 - 8.5 MPa
Frost Resistance: Not Applicable
Apparent Density: 2.4 - 2.6 kg/dm³

APPLICATION

Coping: No
Countertop: Yes
Exterior Cladding: Yes
Exterior Countertop: Yes
Exterior Tile: Yes

Exterior Paver: Yes
Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes


PACKING DETAILS

Per Order

INFORMATION

Terrazzo Project is available in custom sizes, thicknesses, finishes and formats. Please contact info@thorntreeslate.com for additional information.

BIANCO FUMO, BIANCO ISLANDA, BIANCO MICRO,
BIANCO PERLA, BLACK, BOTTICINO, BRECCIA AURORA,
BRECCIA ONICIATA, CALACATTA, CANAL GRANDE



TESTING DATA

Water Absorption: 5.16 - 6.85 %
Flexural Strength: 7.7 - 8.5 MPa
Frost Resistance: Not Applicable
Apparent Density: 2.4 - 2.6 kg/dm³

APPLICATION

Coping: No
Countertop: Yes
Exterior Cladding: ***Yes
Exterior Countertop: ***Yes
Exterior Tile: ***Yes

Exterior Paver: ***Yes
Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes

PACKING DETAILS


Per Order

INFORMATION

Terrazzo Project is available in custom sizes, thicknesses, finishes and formats. Please contact info@thorntreeslate.com for additional information.

***Select stones are not recommended for exterior applications.

CARRARA MICRO, DUNA, FIRO DI PESCO, FORESTA,
GIALLO REALE, GRIGIO CARNICO, GRIGIO FERRO,
GRIGIO FUMO, GRIGIO MICRO, MING



TESTING DATA

Water Absorption: 5.16 - 6.85 %
Flexural Strength: 7.7 - 8.5 MPa
Frost Resistance: Not Applicable
Apparent Density: 2.4 - 2.6 kg/dm³

APPLICATION

Coping: No
Countertop: Yes
Exterior Cladding: ***Yes
Exterior Countertop: ***Yes
Exterior Tile: ***Yes

Exterior Paver: ***Yes
Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes

PACKING DETAILS


Per Order

INFORMATION

Terrazzo Project is available in custom sizes, thicknesses, finishes and formats. Please contact info@thorntreeslate.com for additional information.

***Select stones are not recommended for exterior applications.

NERO PORTORO, NEW MARFIL, NUVOLE, PERLATO
ROYAL, POLARE, RASOTICA, ROSA DEL DARDA, ROSSO
ASIAGO, SABBIA, TEMPESTA, VERDE ALPI



TESTING DATA

Water Absorption: 5.16 - 6.85 %
Flexural Strength: 7.7 - 8.5 MPa
Frost Resistance: Not Applicable
Apparent Density: 2.4 - 2.6 kg/dm³

APPLICATION

Coping: No
Countertop: Yes
Exterior Cladding: ***Yes
Exterior Countertop: ***Yes
Exterior Tile: ***Yes

Exterior Paver: ***Yes
Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes

PACKING DETAILS

Per Order

INFORMATION

Terrazzo Project is available in custom sizes, thicknesses, finishes and formats. Please contact info@thorntreeslate.com for additional information.

***Select stones are not recommended for exterior applications.