

T E R R A



T E R R A

Working with terracotta is one of the oldest crafts in the world, with the same methods being used for thousands of years. Terra re-proposes this tradition with pure material, reconsidering it with inspiration and originality.

Terra is an original proposal where innovation finds its maximum accomplishment in combining its coloured surfaces with the Oro project, a collection of 4 marbles with considerable and unusual personality. A unique, unconventional stylish result which remains authentic and with considerable distinction.

A unique compendium of inspiration and vanity, where the value of Terra in its most profound and authentic essence unites with the vanity of the marble, a quality material like Gold, with an audacious charm. Freely and regularly combining materials and colours, craftsmanship and elegance, darks and clear, bright with opaque, strengthens its style with sought after atmospheres, with vibrant, natural lights for a complete softness of spaces, where Terra&Oro comes together to bring emotions.

An exact choice, a single wish: live the style to the full.

T E R R A



TERRA 12BP RM



TERRA 90BP RM



TERRA 12BP RM - OR AGA 12 LP - OR AGA 12 RM



TERRA 90BP RM - OR AGA 9018 LP



Juice
& Co

OPENING HOURS
Mon - Fri
9:00 - 22:00
Sat - Sun
9:00 - 14:00



TERRA 12R RM



TERRA DK 12



TERRA 12R RM - OR CRE 12 RM - OR CRE 12 LP



TERRA 90R RM - MK.TERRA 30R

TERRA 90R RM - MK.TERRA 30R - OR CRE 9018 LP





TERRA 90AG RM - OR OCE 901SLP



TERRA 12AG RM



TERRA 900C RM

TERRA 900C RM - OR ILL 9018 LP





TERRA 120C RM - OR ILL 9018LP - OR ILL 12 RM



TERRA 900C RM

T E R R A

COLOURED BODY PORCELAIN TILE
ISO 13006 - G - Bla ($E \leq 0,5\%$) UNI EN 14411 - G



60x120
24"x48"



90x90
36"x36"



60x60
24"x24"



BP	code	✕	info
	TERRA 12BP RM	10	
	TERRA 90BP RM	10	
	TERRA 60BP RM	10	
	MK.TERRA 30BP	10	



AG	code	✕	info
	TERRA 12AG RM	10	
	TERRA 90AG RM	10	
	TERRA 60AG RM	10	
	MK.TERRA 30AG	10	



OC	code	✕	info
	TERRA 12OC RM	10	
	TERRA 90OC RM	10	
	TERRA 60OC RM	10	
	MK.TERRA 30OC	10	



R	code	✕	info
	TERRA 12R RM	10	
	TERRA 90R RM	10	
	TERRA 60R RM	10	
	MK.TERRA 30R	10	



ELEMENTI DECORATIVI
DECORATIVE ELEMENTS



TERRA DK 12
60x120 - 24"x48"



TERRA
COLOURED BODY PORCELAIN TILE
ISO 13006 - G - Bla (E≤ 0,5%) UNI EN 14411 - G



			BP	AG	OC	R
6x90 2.4"x36"		△	TERRA BT90BP	TERRA BT90AG	TERRA BT90OC	TERRA BT90R
6x60 2.4"x12"		△	TERRA BT60BP	TERRA BT60AG	TERRA BT60OC	TERRA BT60R
120x32,5 48"x12.8"		△	TERRA G120BP	TERRA G120AG	TERRA G120OC	TERRA G120R

	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			g.a.	g.b.	c.a.	g.b.				average value
TERRA	R9	A	>0,4	>0,4	>0,4	>0,4	>25	>25	1	>0,42

TECHNICAL FEAUTURES SPECIFICATIONS

SPECIFICATION		TEST METHODS	REQUIREMENTS IN ACCORDANCE TO THE STANDARDS	AVERAGE VALUE	
	DIMENSIONS AND APPEARANCE	ISO 10545-2	PROSPECT G.1	COMPLIANT	
	WATER ABSORPTION	ISO 10545-3	≤ 0,5%	0,1%	
	FLEXURAL RESISTANCE	ISO 10545-4	min. 35 N/mm²	45 N/mm²	
MODULUS OF RUPTURE	THICKNESS ≥ 7,5 mm: min. 1300 N		8,5 mm*	2500 N*	
	THICKNESS ≥ 7,5 mm: min. 700 N		12 mm*	5000 N*	
			20 mm**	11000 N**	
	DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm³	140 mm³	
	RESISTANCE TO SURFACE ABRASION	ISO 10545-7	CLASSES 0-5	AS INDICATED IN THE CATALOGUE	
	LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	AVAILABLE ON REQUEST	≤ 7x10-6 °C-1	
	RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	AVAILABLE ON REQUEST	RESISTANT	
	FROST RESISTANCE	ISO 10545-12	ALWAYS TESTED	RESISTANT	
	HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS	ISO 10545-13	min. UB	min. UB	
	ACIDS AND LOW CONCENTRATION ALKALIS		FROM LA, LB TO LC	FROM LA, LB TO LC	
	ACIDS AND HIGH CONCENTRATION ALKALIS		AVAILABLE ON REQUEST	AVAILABLE ON REQUEST	
	STAIN RESISTANCE	ISO 10545-14	AVAILABLE ON REQUEST	min. 3	
	COLOUR STABILITY TO LIGHT	DIN 51094	THEY DO NOT HAVE TO SHOW VISIBLE COLOUR ALTERATION	COMPLIANT	

THICKNESSES REFERRED TO 20x20 SIZE *
THICKNESSES REFERRED TO 60x60 SIZE

INDICATIONS FOR USE

-  FLOOR TILES
-  WALL TILES

SUGGESTED APPLICATIONS

-  DOMETISC PURPOSE
-  TILES FOR LIGHT COMMERCIAL
-  RETAIL

STRUCTURE

-  SMOOTH

FINISH

-  NATURAL

FINISH

-  MATT

EDGE

-  MONOCALIBER, RECTIFIED

SHADE VARIATION

- 

SALES CHARACTERISTICS

-  Product sold per item

All our products are sold only in complete boxes, whether the unit of measure is per item or per square metre.

