



shown on front: AUR10 24x48 Canvas White

Aura is an elegant replica of the subtle clefted textures and delicate inflections of natural state. A modern color palette of tone-on-tone neutrals brings an unexpected versatility, suiting both traditional and contemporary settings.

The five stone-inspired colorways include: Canvas White – a graceful layering of frost and silver tones; Light Gray – striking gradations of lighter and darker grays atop a backdrop of soft gray; Ash Warm Gray – graphite tones mingled with a seasoned yet unassuming surface; Earth Beige – a velvety mix of warm sand and brown tones; and Antracita Charcoal – a sophisticated, smoky blend of carbon and ash.

Rectified field tile 6 rmats include: 12x24, 24x24, and 24x48. A classic 64-piece mosaic and 3x24 bullnose in all five colors round out the collection.

Aura glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications. It contains pre-consumer recycled content and is GREENGAURD® and Porcelain Tile Certified.


below: AUR10 24x48 Canvas White



CANVAS WHITE




AUR10 12x24 Canvas White



AUR10 24x48 Canvas White



AUR10 24x24 Canvas White



AUR10/M128 Canvas White 64pc Mosaic



LIGHT GRAY




AUR20 12x24 Light Gray



AUR20 24x48 Light Gray



AUR20 24x24 Light Gray



AUR20/M128 Light Gray 64pc Mosaic



ASH WARM GRAY




AUR30 12x24 Ash Warm Gray



AUR30 24x48 Ash Warm Gray



AUR30 24x24 Ash Warm Gray



AUR30/M128 Ash Warm Gray 64pc Mosaic



EARTH BEIGE



AUR40 12x24 Earth Beige



AUR40 24x48 Earth Beige



AUR40 24x24 Earth Beige



AUR40/M128 Earth Beige 64pc Mosaic



ANTRACITA CHARCOAL




AUR50 12x24 Antracita Charcoal



AUR50 24x48 Antracita Charcoal




AUR50 24x24 Antracita Charcoal



AUR50/M128 Antracita Charcoal 64pc Mosaic





above: AUR30 24x48 Ash Warm Gray

Technical Specifications	Results ¹
ANSI® A326.32	Interior, Wet Plus (IW+)
Surface Hardness	7 Mohs
Break Strength	≥ 475 lbf. avg.
Water Absorption	≤ 0.5%³
Intended Use ⁴	Residential, Light Commercial & Heavy Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

⁴ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
12x24	30x60	.5	9.5mm	Rectified
24x24	60x60	.25	9.5mm	Rectified
24x48	60x120	.129	9.5mm	Rectified

¹ These values may vary from lot to lot.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size (in) ¹	Metric (cm)
Bullnose		P43N9	3x24	7.5x60


¹These values may vary from lot to lot.

Typical Uses

Aura glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.



Color, texture, and finish variations may occur due to the nature of the product.

Notes

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.













² For more information, visit floridatile.com/productuseclassifications.

³ Average production value.

² These values are based on actual sizes including the grout joint.