

ARENITE

STONE TALES

COMPACT


COLLECTION CATALOGUE



STONE TALES

ARENITE

THE STRENGTH AND SOLIDITY OF ROCK BECOMES BEAUTY. CERAMIC TECHNOLOGY PERFECTS AND TRANSFORMS **ATTRACTIVE, TEXTURED** QUARTZITE INTO CONTEMPORARY, ESSENTIAL PORCELAIN STONEWARE. **UNICOMSTARKER** PRESENTS THE NEW **ARENITE** COLLECTION. EVOCATIVE AND ELEGANT, INTERPRETS THE CHARM OF STONE, ENHANCING THE POTENTIAL OF ARCHITECTURAL SETTINGS.




USE

Residential spaces
Bathroom
Commercial premises
Public spaces

COLOURS

-  **Avorio**
-  **Perla**
-  **Grigio**
-  **Oro**
-  **Multi**

SIZES





GRIGIO

MINIMAL & NATURAL



ARENITE GRIGIO
floor 60x60 24"x24"
wall 15x60 6"x24"



10

UNICOMSTARKER
STONE TALES

ARENITE

ARENITE GRIGIO

floor / wall 60x90 24"x36" - 60x60 24"x24" - 30x60 12"x24"



ORO
WARM & REFINED

14

STONE TALES



ARENITE ORO
floor 60x90 24"x36"
wall 7,4x30 3"x12"

15

ARENITE



ARENITE ORO
floor 60x120 24"x48"
wall 15x60 6"x24"

16

STONE TALES



17


ARENITE



ARENITE ORO
floor 60x120 24"x48"
wall 7,4x30 3"x12"

PERLA

COOL & PRECIOUS



**ARENITE PERLA**

floor / wall 60x90 24"x36"

**ARENITE PERLA**

wall 60x60 24"x24"- 30x60 12"x24"- 15x60 6"x24"

< RESTROOM

ARENITE PERLA

floor 60x120 24"x48"

wall 60x60 24"x24" - 30x60 12"x24" - 15x60 6"x24"

outdoor floor 60x90 24"x36" GRIP

AVORIO

BRIGHT & WILD





ARENITE AVORIO
floor 60x60 24"x24"
wall Mosaico Esagono 25x26 9.84"x10.24"

**ARENITE AVORIO**

floor 60x120 24"x48"

wall 60x90 24"x36"

outdoor floor 60x90 24"x36" GRIP

MULTI

GLAMOROUS & ATTRACTIVE



STONES
CONCEPT
STORE

ARENITE

floor **MULTI** 15x60 6"x24"
wall **GRIGIO** 7,4x30 3"x12"

**ARENITE**

floor **MULTI** 60x90 24"x36" GRIP
wall **PERLA** 60x90 24"x36"

TECHNICAL DATA

AVORIO



PERLA



GRIGIO



ORO



MULTI



DECORS



DECORI

MOSAICI - MOSAICS

MOSAICO T36 - 30x30 - 12"x12"



AVORIO



PERLA



GRIGIO



ORO



MULTI


MOSAICO ESAGONO - 25x26 - 9,84"x10,24"




AVORIO




PERLA



GRIGIO




ORO





MULTI

TECHNICAL INFORMATION & PLUS


FORMATI - SIZES



DECORI - DECORS



PEZZI SPECIALI - SPECIAL ITEMS



CARATTERISTICHE TECNICHE - TECHNICAL FEATURES



standards	characteristics or properties	declared values
ISO 10545-3	water absorption	<0.5%
ISO 10545-4	breaking strength	35 N/mm ²
ISO 10545-13	resistance to acid	GLA
ISO 10545-12	frost resistance	resiste frost proof
ISO 10545-14	stain resistance	4
ISO 10545-2	surface flatness	±0.5%
	thickness	10 mm
DIN 51097 DIN 51130 ANSI A 137.1 DCOF BOT3000 E	dynamic coefficient of friction	A+B R10 >0.42
DIN 51097 DIN 51130 ANSI A 137.1 DCOF BOT3000 E		A+B+C R11 >0.42
	(avorio - perla - grigio - oro) color shade	V2 variazione leggera V2 slight variation
	(multi) color shade	V4 variazione intensa V4 substantial variation
ISO 10545-2	orthogonality	± 0.6%

PACKING

mm inch	spessore thickness	pezzi/sc pcs/box	mq/sc sqm/box	kg/sc kgs/box	sc/pl box/pal	mq/pl sqm/pal	kq/pl kgs/pal
60,4x90,6 24"x48"	2thick_20 mm rettificato	1	0.54	23.76	48	25.92	1140.48
60x120 24"x48"	rettificato	2	1.44	29.75	32	46.08	952.00
60x90 24"x36"	rettificato grip	2	1.08	22.03	48	51.84	1057.44
60x60 24"x24"	rettificato	3	1.08	22.05	40	43.20	882.00
30x60 12"x24"	rettificato grip	6	1.08	21.90	40	43.20	876.00
15x60 6"x24"	rettificato	12	1.08	22.15	48	51.84	1063.20
7,4x30 3"x12"	rettificato	40	0.88	17.15	60	52.80	1029.00
30x30 12"x12"	mosaico	11	0.99	18.00	36	35.64	648.00
25x26 9,84"x10,24"	mosaico esagono	11		12.50			
7x60 2 ³ / ₄ "x24"	battiscopa smalt. rett.	12		11.80			
7x90 2 ³ / ₄ "x36"	battiscopa smalt. rett.	8		12.80			
30x60 12"x24"	gradino rett. grip	8		31.20			
30x90 12"x36"	gradino rett. grip	4		23.52			
30x60 12"x24"	gradone costa retta rett. grip	4		17.40			
30x90 12"x36"	gradone costa retta rett. grip	2		14.52			
30x60 12"x24"	gradone ang. costa retta dx/sx rett. grip	2		4.60			
30x90 12"x36"	gradone costa retta rett. dx/sx grip	1		7.80			
30x60 12"x24"	elemento ad L grip	4		17.20			
30x90 12"x36"	elemento ad L grip	2		13.76			

JOINT

For rectified material, we recommend a 2 mm grout at least when using one size only and a 3 mm grout for multisizes laying solution





The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations, colours, packaging and sizes

printed and bound in Italy
© 2023 unicom srl - all rights reserved



**think
outside
the box**

