





Artisanal Wall Tile

shown on front: **STE90G 2.5x10** Black Cardamom Glossy

Storied from expresses timeworn character steeped in indigenous traditions of creativity and ingenuity. An organic color palette, inspired by primitive dye ingredients, delivers earthy appeal. The artisanal design featuring an uneven glaze conveys the age-old story of handmade craftsmanship. Mix colors and build pattens to create a true artistic statement.

Pressed 2.5x10 ceramic wall tiles are available in nine hues featuring a glossy finish: Cotton White, Sheep's Wool, Chicory Greige, Natural Grey, Indigo Blue, Nettle Green, Saffron Yellow, Cinnamon, and Black Cardamom.

Storied ceramic wall tile is appropriate for most interior, residential and commercial, wall and backsplash applications. It is GREENGUARD® certified.

COLORS



STE10GCotton White Glossy



STE40GNatural Grey Glossy



STE70GSaffron Yellow Glossy



STE20GSheep's Wool Glossy



STE50GIndigo Blue Glossy



STE80GCinnamon Glossy



STE30GChicory Greige Glossy



STE60GNettle Green Glossy



STE90GBlack Cardamom Glossy

FIELD TILE FORMATS

2.5x10

COTTON WHITE




STE10G

Cotton White Glossy

FIELD TILE FORMATS





SHEEP'S WOOL



STE20G

Sheep's Wool Glossy

FIELD TILE FORMATS

2.5x10

below: **STE20 2.5x10** Sheep's Wool Glossy



CHICORY GREIGE



STE30G

Chicory Greige Glossy

FIELD TILE FORMATS

2.5x10

below: **STE30G 2.5x10** Chicory Greige Glossy



NATURAL GREY



STE40GNatural Grey Glossy

NETTLE GREEN



STE60G


Nettle Green Glossy

FIELD TILE FORMATS

2.5x10



INDIGO BLUE




STE50G Indigo Blue Glossy

FIELD TILE FORMATS

2.5x10

below: **STE50G 2.5x10** Indigo Blue Glossy



SAFFRON YELLOW



STE70GSaffron Yellow Glossy


FIELD TILE FORMATS

2.5x10

below: **STE70G 2.5x10** Saffron Yellow Glossy




CINNAMON



STE80GCinnamon Glossy

BLACK CARDAMOM



STE90G

Black Cardamom Glossy

FIELD TILE FORMATS

2.5x10







Technical Data Properties	Results ¹
Surface Hardness	5 Mohs
Break Strength	≥ 150 lbf. avg.
Water Absorption	10% - 14%²

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² Average production value.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
2.5x10	6x25	6.3	7.5mm	Pressed

¹These values may vary from lot to lot.

Typical Uses

Storied ceramic wall tile is appropriate for most residential and commercial wall and backsplash applications.

This product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Notes

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

Color Variation



V3 Moderate Variation





²These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.