

VIBES

Sincerely yours





((VIBES))

Sincerely yours



((YOUR OWN NATURE))

Vibes
represents a
return to the
neutrality of
stone.


A naturalness that ties in with your own most intimate and deep interior being. And that makes it unique.



((YOUR INTIMATE SPACE))



VIBES 90G RM
VIBES 69W ASRM



VIBES 90G RM
VIBES 69W ASRM



VIBES 120G RM
VIBES 12G RM



VIBES 120G RM
VIBES 12G RM





VIBES 120DG RM
VIBES 12DG RM
MK.VIBES 30DG

A harmonious and primordial style that interprets minimalism not as a sacrifice, but as a perfect balance of our way of life.



(((POSITIVE VIBES)))



VIBES DK 120W
VIBES 9018W RM



VIBES DK 120W





VIBES 120BS RM
VIBES R12BS RM

A vibrant, profound
spaces where the call
of real nature is the star
of every project.




((AT EASE WITH YOURSELF))



VIBES 9018B RM
VIBES 69B ASRM



VIBES 9018B RM
VIBES 69B ASRM




COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
 CONFORME / ACCORDING TO
 UNI EN 14411 - G Bla

DG

G



VIBES DK 120DG
 120X120 - 48"X48"



120X120 - 48"X48"



60X120 - 24"x48"



90X180 - 36"x71"



90X90 - 36"x36"



VIBES 120DG RM

VIBES 12DG RM

VIBES 9018DG RM

VIBES 90DG RM



60X60 - 24"x24"



30X60 - 12"x24"



30X30 - 12"X12"




VIBES 60DG RM

VIBES 36DG RM

MK.VIBES 30DG



VIBES DK 120G
 120X120 - 48"X48"




120X120 - 48"X48"



60X120 - 24"x48"



90X180 - 36"x71"



90X90 - 36"x36"



VIBES 120G RM

VIBES 12G RM

VIBES 9018G RM

VIBES 90G RM



60X60 - 24"x24"



30X60 - 12"x24"



30X30 - 12"X12"



VIBES 60G RM

VIBES 36G RM

MK.VIBES 30G

COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA

CONFORME / ACCORDING TO
UNI EN 14411 - G Bla

W



VIBES DK 120W
120X120 - 48"X48"



120X120 - 48"X48"



60X120 - 24"x48"



90X180 - 36"x71"



90X90 - 36"x36"



VIBES 120W RM

VIBES 12W RM

VIBES 9018W RM

VIBES 90W RM



60X60 - 24"x24"



30X60 - 12"x24"



30X30 - 12"X12"



VIBES 60W RM


VIBES 36W RM

MK.VIBES 30W

B



VIBES DK 120B
120X120 - 48"X48"




120X120 - 48"X48"



60X120 - 24"x48"



90X180 - 36"x71"



90X90 - 36"x36"



VIBES 120B RM

VIBES 12B RM

VIBES 9018B RM

VIBES 90B RM



60X60 - 24"x24"



30X60 - 12"x24"



30X30 - 12"X12"



VIBES 60B RM

VIBES 36B RM

MK.VIBES 30B

BS



VIBES DK 120BS
120X120 - 48"X48"



120X120 - 48"X48"



60X120 - 24"X48"



90X180 - 36"X71"



90X90 - 36"X36"



VIBES 120BS RM

VIBES 12BS RM

VIBES 9018BS RM

VIBES 90BS RM



60X60 - 24"X24"



30X60 - 12"X24"



MK.VIBES 30BS




VIBES 60BS RM


VIBES 36BS RM

MK.VIBES 30BS


PEZZI SPECIALI / SPECIAL PIECES




6X120-2.4"x48" △ 6



6X90-2.4"x36" △ 7



6X60-2.4"x24" △ 10



120X32,5-48"x12.8" △ 2

| | VIBES BT120DG | VIBES BT90DG | VIBES BT60DG | VIBES G120DG |
|----|---------------|--------------|--------------|--------------|
| DG | VIBES BT120DG | VIBES BT90DG | VIBES BT60DG | VIBES G120DG |
| G | VIBES BT120G | VIBES BT90G | VIBES BT60G | VIBES G120G |
| W | VIBES BT120W | VIBES BT90W | VIBES BT60W | VIBES G120W |
| B | VIBES BT120B | VIBES BT90B | VIBES BT60B | VIBES G120B |
| BS | VIBES BT120BS | VIBES BT90BS | VIBES BT60BS | VIBES G120BS |

IMBALLI / PACKAGING

| FORMATO NOMINALE NOMINAL SIZE | BORDO EDGE | SPESSORE THICKNESS | SCATOLA / BOX | | | PALLET | | |
|----------------------------------|---------------|-----------------------|-------------------|------------------|------------------|----------------------------|------------------------|------------------------|
| | | | PZ/BOX PCS/BOX | MQ/BOX SM/BOX | KG/BOX KG/BOX | BOX/PALLET BOXES/PALLET | MQ/PALLET SM/PALLET | KG/PALLET KG/PALLET |
| 120x120-48"x48" | RECTIFIED | 10 | 1 | 1,44 | 34,00 | 36 | 51,84 | 1244,00 |
| 60x120-24"x48" | RECTIFIED | 10 | 2 | 1,44 | 33,39 | 30 | 43,20 | 1021,55 |
| 60x60-24"x24" | RECTIFIED | 10 | 3 | 1,08 | 25,00 | 40 | 43,20 | 1020,00 |
| 30x60-12"x24" | RECTIFIED | 10 | 6 | 1,08 | 24,45 | 40 | 43,20 | 998,00 |
| 90x180-36"x71" | RECTIFIED | 10 | 1 | 1,62 | 37,24 | 36 | 58,32 | 1360,64 |
| 90x90-36"x36" | RECTIFIED | 10 | 2 | 1,62 | 37,20 | 22 | 35,64 | 838,40 |
| 30x30-12"x12" MOSAIC | MOSAIC | 10 | 6 | 0,54 | 11,83 | 48 | 25,92 | 588,03 |

CARATTERISTICHE TECNICHE SPECIFICHE / TECHNICAL FEATURES SPECIFICATIONS

| VIBES | DIN 51130 (R) | DIN 51097 (A+B+C) | BCR REP. CEC 6/81 | | DM 14/6/89 N. 236 | | PENDULUM TEST BS (INGLESE) | PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO) | PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO) | BOT 3000 (DCOF) |
|-------|------------------|----------------------|----------------------|------|----------------------|------|----------------------------------|---|--|--------------------|
| | | | G.A. | G.B. | C.A. | G.B. | | | | |
| | R10 | A | >0.4 | >0.4 | >0.4 | >0.4 | >36 | >35 | 1 | >0,42 |

A must for Imola, the modern brand that meets with every style and practicality requirement just had to add new items for outside areas to its range, for all its best seller projects.

A choice made in line with the latest living and gardening demands, where the traditional porcelain stoneware for outside use with a normal thickness is completed with the thicker 20 mm proposal and new special, diversified pieces for specific purposes.

The ideal solution for walkways, terraces, patios and other projects around gardens, courtyards, swimming pools and other outdoor design solutions.

Synonymous with high tech. performance such as being long lasting and its mechanical features, completely porosity-free and frost-proof, the 20 mm product can be cleaned easily, is solid, eco-sustainable with a dynamic, modern style, available in a vast and varying range of aesthetic solutions, colours and shapes.

ADVANTAGES OF THE 20 MM.

- _ Monolithic.
- _ Eco-sustainable.
- _ Hygienic.
- _ Fireproof.
- _ Frost-proof.
- _ Skid-proof.
- _ Resistant to wear.
- _ Resistant to chemical corrosion.
- _ Resistant to tensile strength.
- _ Resistant to sudden changes in temperature.
- _ Stain resistant.
- _ Resistant to mould and moss.
- _ Easy to clean.
- _ Easy to lay.
- _ Easy to remove.



OUTDOOR
10 mm
THICKNESS
20 mm





VIBES 90G RM
VIBES 69W ASRM



VIBES 69W ASRM

(((VIBES)))

COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA

CONFORME / ACCORDING TO

UNI EN 14411 - G Bla



| | 10 mm | | 20 mm | |
|----|----------------|----------------|-----------------|-----------------|
| | | | | |
| | 60X120-24"x48" | 60X60-24"x24" | 60X90-24"x36" | 60X60-24"x24" |
| DG | VIBES R12DG RM | VIBES R60DG RM | VIBES 69DG ASRM | VIBES 60DG ASRM |
| G | VIBES R12G RM | VIBES R60G RM | VIBES 69G ASRM | VIBES 60G ASRM |
| W | VIBES R12W RM | VIBES R60W RM | VIBES 69W ASRM | VIBES 60W ASRM |
| B | VIBES R12B RM | VIBES R60B RM | VIBES 69B ASRM | VIBES 60B ASRM |
| BS | VIBES R12BS RM | VIBES R60BS RM | VIBES 69BS ASRM | VIBES 60BS ASRM |

10 PEZZI SPECIALI / SPECIAL PIECES

| | ELEMENTO A ELLE - L-SHAPED 20x60x4-8"x24"x1.6" △ 6 | STEP - STEP 30x60-12"x24" △ 8 |
|----|---|----------------------------------|
| DG | VIBES E R60DG | VIBES S R60DG |
| G | VIBES E R60G | VIBES S R60G |
| W | VIBES E R60W | VIBES S R60W |
| B | VIBES E R60B | VIBES S R60B |
| BS | VIBES E R60BS | VIBES S R60BS |

IMBALLI / PACKAGING

| FORMATO NOMINALE NOMINAL SIZE | BORDO EDGE | SPESSORE THICKNESS | SCATOLA / BOX | | | PALLET | | |
|----------------------------------|---------------|-----------------------|-------------------|------------------|------------------|----------------------------|------------------------|------------------------|
| | | | PZ/BOX PCS/BOX | MQ/BOX SM/BOX | KG/BOX KG/BOX | BOX/PALLET BOXES/PALLET | MQ/PALLET SM/PALLET | KG/PALLET KG/PALLET |
| 60x120-24"x48" | RECTIFIED | 10 | 2 | 1,44 | 33,39 | 30 | 43,20 | 1021,55 |
| 60x60-24"x24" | RECTIFIED | 10 | 3 | 1,08 | 25,00 | 40 | 43,20 | 1020,00 |
| 60x90-24"x36" | RECTIFIED | 20 | 1 | 0,54 | 24,90 | 50 | 27,00 | 1265,00 |
| 60x60-24"x24" | RECTIFIED | 20 | 2 | 0,72 | 33,15 | 32 | 23,04 | 1080,80 |

CARATTERISTICHE TECNICHE SPECIFICHE / TECHNICAL FEATURES SPECIFICATIONS

| | DIN 51130 (R) | DIN 51097 (A+B+C) | BCR REP. CEC 6/81 | | DM 14/6/89 N. 236 | | PENDULUM TEST BS (INGLESE) | PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO) | PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO) | BOT 3000 (DCOF) AVERAGE VALUE |
|----------|------------------|----------------------|----------------------|------|----------------------|------|----------------------------------|---|--|-------------------------------------|
| | | | G.A. | G.B. | C.A. | G.B. | | | | |
| VIBES RB | R11 | B+C | >0.4 | >0.4 | >0.4 | >0.4 | >36 | >45 | 3 | >0,42 |
| VIBES AS | R11 | B+C | >0.4 | >0.4 | >0.4 | >0.4 | >36 | >45 | 3 | >0,42 |

20 PEZZI SPECIALI / SPECIAL PIECES

| | SQUARE BORDER costa lucida SQUARE BORDER polished edge 60x60-24"x24" △ 2 | GRADONE costa lucida TERRACE polished edge 33x60-13"x24" △ 2 | GRADONE costa lucida TERRACE polished edge 33x90-13"x36" △ 2 |
|----|--|--|--|
| DG | VIBES SB60DG AS | VIBES GR336DGAS | VIBES GR339DGAS |
| G | VIBES SB60G AS | VIBES GR336G AS | VIBES GR339G AS |
| W | VIBES SB60W AS | VIBES GR336W AS | VIBES GR339W AS |
| B | VIBES SB60B AS | VIBES GR336B AS | VIBES GR339B AS |
| BS | VIBES SB60BS AS | VIBES GR336BSAS | VIBES GR339BSAS |

| | ELEMENTO A ELLE L-SHAPED 30x60x5-12"x24"x2" △ 2 | ELEMENTO A ELLE L-SHAPED 30x90x5-12"x36"x2" △ 2 | ALZATA gocciolatoio RISE dripstone 20x60-8"x24" △ 4 |
|----|---|---|---|
| DG | VIBES L 60DG AS | VIBES L 90DG AS | VIBES AZ60DGAS |
| G | VIBES L 60G AS | VIBES L 90G AS | VIBES AZ60G AS |
| W | VIBES L 60W AS | VIBES L 90W AS | VIBES AZ60W AS |
| B | VIBES L 60B AS | VIBES L 90B AS | VIBES AZ60B AS |
| BS | VIBES L 60BS AS | VIBES L 90BS AS | VIBES AZ60BSAS |

| | STEP righe costa lucida STEP stripes polished edge 30x60-12"x24" △ 2 | TOP gocciolatoio coste lucide TOP dripstone polished edges 30x60-12"x24" △ 2 | BORDO PISCINA costa lucida POOL EDGE polished edge 30x60-12"x24" △ 2 | GRIGLIA PISCINA POOL GRILLE 20x60-8"x24" △ 2 |
|----|--|--|--|--|
| DG | VIBES S 60DGAS | VIBES TOP60DGAS | VIBES BP60DGAS | VIBES GP60DGAS |
| G | VIBES S 60G AS | VIBES TOP60G AS | VIBES BP60G AS | VIBES GP60G AS |
| W | VIBES S 60W AS | VIBES TOP60W AS | VIBES BP60W AS | VIBES GP60W AS |
| B | VIBES S 60B AS | VIBES TOP60B AS | VIBES BP60B AS | VIBES GP60B AS |
| BS | VIBES S 60BSAS | VIBES TOP60BSAS | VIBES BP60BSAS | VIBES GP60BSAS |










RH and LH angle bracket available on request.

Special pieces and backgrounds can have slightly different shades from one another.

There can be a slight colour difference on the edge between the surface and the main ceramic piece.

Technical Specifications Porcelain Stoneware


CONFORME / ACCORDING TO
UNI EN 14411 - G Bla

| CARATTERISTICA Specification | METODO DI PROVA Test methods | REQUISITI PREVISTI DALLA NORMA Requirements in accordance to the standards | VALORE MEDIO Average value |
|---|---------------------------------|---|--|
|  DIMENSIONI E ASPETTO DIMENSIONS AND APPEARANCE | ISO 10545-2 | PROSPETTO G.1 PROSPECT G.1 | CONFORME COMPLIANT |
|  ASSORBIMENTO D'ACQUA WATER ABSORPTION | ISO 10545-3 | ≤ 0,5% | < 0,1% |
|  RESISTENZA A FLESSIONE FLEXURAL RESISTANCE | | min./МИН 35 N/mm ² | > 45 N/mm ² |
| SFORZO DI ROTTURA MODULUS OF RUPTURE | ISO 10545-4 | SPESSORE / THICKNESS ≥ 7,5 mm: min. 1300N | 6,5 mm 1800 N* SPESSORE* THICKNESS* 10 mm 3000 N* 20 mm 13000 N* |
|  RESISTENZA ALL'ABRAZIONE PROFONDA DEEP ABRASION RESISTANCE | ISO 10545-6 | ≤ 175 mm ³ | < 140 mm ³ |
|  COEFFICIENTE DILATAZIONE TERMICA LINEARE (α) LINEAR EXPANSION THERMIC COEFFICIENT | ISO 10545-8 | METODO DISPONIBILE AVAILABLE ON REQUEST | ≤ 7x10 ⁻⁶ °C ⁻¹ |
|  RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO SUDDEN TEMPERATURE CHANGES | ISO 10545-9 | METODO DISPONIBILE AVAILABLE ON REQUEST | RESISTE RESISTANT |
|  RESISTENZA AL GELO FROST RESISTANCE | ISO 10545-12 | RICHIESTA ALWAYS TESTED | RESISTE RESISTANT |
|  PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS | | min. B МИН. В | min. B МИН. В |
| ACIDI ED ALCALI A BASSA CONCENTRAZIONE ACIDS AND LOW CONCENTRATION ALKALIS | ISO 10545-13 | DA LA, LB A LC FROM LA, LB TO LC | DA LA, LB A LC FROM LA, LB TO LC |
| ACIDI ED ALCALI AD ALTA CONCENTRAZIONE ACIDS AND HIGH CONCENTRATION ALKALIS | | METODO DISPONIBILE AVAILABLE ON REQUEST | METODO DISPONIBILE AVAILABLE ON REQUEST |
|  RESISTENZA ALLE MACCHIE UGL STAIN RESISTANCE UGL | | METODO DISPONIBILE AVAILABLE ON REQUEST | METODO DISPONIBILE AVAILABLE ON REQUEST |
| RESISTENZA ALLE MACCHIE GL STAIN RESISTANCE GL | ISO 10545-14 | min. 3 МИН. 3 | min. 3 МИН. 3 |


* VALORI RIFERITI AL FORMATO 60X60 / VALUES REFERRED TO 60X60 SIZE

Symbols

INDICAZIONI D'USO INDICATIONS FOR USE




Pavimento
Floor tiles




Rivestimento
Wall tiles


DESTINAZIONI D'USO SUGGESTED APPLICATIONS




Abitazioni
Domestic purpose



Commerciale leggero
Light commercial



Commerciale
Commercial



Esterni
Outdoor floor


SUPERFICI SURFACES

Finitura
Finish



Naturale
Natural

Aspetto superficiale
Surface look



Opaco
Matt

Bordo
Edge

RM
Rettificato monocalibro
Monocaliber, rectified


STONALIZZAZIONE SHADE VARIATION


V2

SPESSORE THICKNESS

10 20

CARATTERISTICHE DI VENDITA SALES CHARACTERISTICS

 Packaging.

 Product sold per item.

Tutti i nostri prodotti, sia al mq che al pezzo, sono venduti unicamente a scatola completa.
All our products are sold only in complete boxes, whether the unit of measure is per item or per square metre.



THORNTREE
natural stone • fine porcelain