

TWISTER



TWISTER


Looking for a sophisticated and original outcome?

Twister allows your personal pattern combination, opening a new dimension in your design plan.

Decoration that becomes a piece of art, each wall a canvas and each piece a collector's item.

Twist your design until your plan comes true!

01. SIZES, COLOURS AND FINISHES / FORMATOS, COLORES Y ACABADOS	<i>pag. 4</i>
02. GET INSPIRED / INSPIRATE	<i>pag. 6</i>
03. LAYOUTS / COLOCACIONES	<i>pag. 30</i>
04. TECHNICAL FEATURES / CARACTERÍSTICAS TÉCNICAS	<i>pag. 36</i>
05. PACKING	<i>pag. 37</i>
06. PRICE CODE CÓDIGO DE TARIFA	<i>pag. 37</i>
07. TECHNICAL DRAWINGS / DIBUJOS TÉCNICOS	<i>pag. 38</i>



TWISTER



T 12,5x12,5 cm / 5"x5"



Vapor Greige Mint Grey Toffee Titanium Blue



Dove Stone Taupe Stone Graphite Stone

TWIST 12,5x12,5 cm / 5"x5"




Vapor Greige Vapor Mint Grey Vapor Toffee Vapor Titanium Blue



Dove Stone Taupe Dove Stone Graphite Taupe Stone Graphite

ER 12,5x12,5 cm / 5"x5"



Vapor Greige Vapor Mint Grey Vapor Toffee Vapor Titanium Blue



Dove Stone Taupe Dove Stone Graphite Taupe Stone Graphite

SPECIAL PIECE




TWISTER EDGE*
0,8 x 12,5 cm / 0.31" x 5"

* Available in all T Colours
* Disponible en todos los colores de T



T Vapor ▶
Twist Vapor Toffee & Mint Grey
Er Vapor Toffee & Mint Grey



◀ **T** Toffee & Vapor
Er Vapor Toffee

Setting image (pattern)
T - 50 % + **Er** - 50%

Floor Tiles: **Solid** XS & S Moss




T Vapor & Titanium Blue
Twist Vapor Titanium Blue
Er Vapor Titanium Blue

T Vapor ▶
Twist Vapor Titanium Blue
Er Vapor Titanium Blue

Setting image (random pattern)
approx. **T** - 69,5% + **Twist** - 14% + **Er** - 16,5%

Floor Tiles: **Point & Dash** Peacock





◀ **T** Mint Grey & Vapor
Twist Vapor Mint Grey
Er Vapor Mint Grey

Setting image (random pattern)
approx. **T** - 60% + **Twist** - 11,5% + **Er** - 28,5%

Floor Tiles: **Love Affairs** Petra Crayon Sand



T Vapor ▶
Twist Vapor Toffee
Er Vapor Toffee



◀ **T** Vapor & Titanium Blue
Twist Vapor Titanium Blue
Er Vapor Titanium Blue

Setting image (pattern)
Twist - 50% + **Er** - 50% + **T**

Floor Tiles: **Tesseræ** Play Blanc



T Vapor & Greige
Twist Vapor Greige
Er Vapor Greige

Floor Tiles: **Bejmat** Tan, Square Tan

T Vapor & Greige ▶
Twist Vapor Greige
Er Vapor Greige

Setting image (pattern)
T - 12,5% + **Twist** - 37,5% + **Er** - 50%

Floor Tiles: **Point & Dash** Neutral






T Dove Stone & Graphite Stone ▶
Er Dove Stone Graphite
Twister Edge Dove Stone Graphite


Setting image (pattern)
T - 33,3% + **Er** - 66,7%

Floor Tiles: **Love Affairs** Contempo Strip Oak



- ◀ T Dove Stone
- Twist Dove Stone Graphite
- Er Dove Stone Graphite
- Twister Edge Dove Stone


Floor Tiles: **Stardust** Nero



▲
T Dove Stone & Taupe Stone ▶
Twist Dove Stone Graphite & Dove Taupe Stone
Er Dove Stone Graphite & Dove Taupe Stone
Twister Edge Taupe Stone

Floor Tiles: Drops Natural Drops Beige












◀ **T** Taupe Stone
Er Taupe Stone Graphite




T Dove Stone & Taupe Stone ▶
Er Dove Stone Taupe
Twister Edge Taupe Stone

Setting image (pattern)
T - 50%, Twist - 33,3% & Er - 16,7%







T - 12,5%
Twist - 37,5%
Er - 50 %



T - 25%
Twist - 50%
Er - 25 %




T - 37,5%
Twist - 25%
Er - 37,5 %




T - 50%
Twist - 12,5%
Er - 37,5 %




Twist - 75%
Er - 25%




T - 25%
Twist - 25%
Er - 50%




Twist - 100%




T - 25%
Twist - 25%
Er - 50%




T - 44,5%
Twist - 22,2%
Er - 33,3%











T - 25%
Twist - 50%
Er - 25%










Twist - 50%
Er - 50%



T - 55,6%
Twist - 44,4%

Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb >10%) Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII (Eb >10%)		
FEATURES / CARACTERÍSTICAS	SPECIFICATION / ESPECIFICACIÓN	NORMA
 Dimensional Features	124,3 mm +/- 0,75 mm % x 124,3 mm +/- 0,75 mm	UNE-EN ISO 10545-2:1998
 Water absorption	>10%	UNE-EN ISO 10545-3:1997
 Modulus of rupture and breaking strength	Thickness ≥ 7,5 mm mínimo 12 N/mm ² Thickness < 7,5 mm mínimo 15 N/mm ²	UNE-EN ISO 10545-4:2012
 Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
 Household products resistance	GA	UNE-EN ISO 10545-13:1998
 Chemical resistance	GHA	UNE-EN ISO 10545-13:1998
 Stain resistance	5	UNE-EN ISO 10545-14:1998
 White Body	-	

			LB 	FT2 		FT2 
Model	Format (in)	Pieces / Box	Lb/ box	sq ft / Box	Boxes / Pallet	sq ft / Pallet
T	5"x5"	39	17.37 lb	6.491 ft ²	102	662.082 ft ²
TWIST	5"x5"	36	17.64 lb	5.985 ft ²	102	610.470 ft ²
ER	5"x5"	36	17.53 lb	5.985 ft ²	102	610.470 ft ²
TWISTER EDGE	0.3"x5"	10	0.48 lb	4.07 ft	200	814 ft



BEFORE INSTALLING THE PRODUCT

The surface where the product is being installed must be clean and level.
 It is recommended that the layout of the product is prepared before the final installation.
 Make sure you choose an adhesive apt for the area where the product is being installed.
 For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

The choice of quality grouting mortar is crucial.
 We recommend Kerakoll Fugabella® Color.
 (www.kerakoll.com)

TO ENHANCE YOUR WOW PRODUCT

In order to obtain the maximum WOW effect, use 1,5 mm - 0.059 in spacers between the tiles to maintain an even installation over the whole surface.
 The colour of the grout should be as close as possible to the colour of your product.
 Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

MAINTENANCE

Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product.
 Avoid abrasive or acidic cleaning products.
 It is recommended to clean with clear water.

Designed by



©2023 Tendencias Cerámicas

WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.

The colour of the pieces displayed herein may differ slightly from originals.

The settings shown in this catalogue are design proposals for advertising purposes.

In real situations in which the pieces are laid, the installation instructions published by WOW should be followed.

