AQUARELLE

THORNTREE

natural stone • fine porcelain

AQUARELLE

Like colours diluted in water and applied in translucent layers, enhancing the charms of the fluid colour movement , its transparency and depth.

Efficient design with a functional colour palette.

We value what a single touch can do.

01.
SIZES, COLOURS AND FINISHES / *pag. 4*
FORMATOS, COLORES Y ACABADOS

02.
GET INSPIRED / *pag. 6*
INSPÍRATE

03.
TECHNICAL FEATURES / *pag. 28*
CARACTERÍSTICAS TÉCNICAS

04.
PACKING *pag. 29*

05.
PRICE CODE *pag. 29*
CÓDIGO DE TARIFA

06.
TECHNICAL DRAWINGS / *pag. 30*
DIBUJOS TÉCNICOS

07.
RECOMMENDATIONS / *pag. 31*
RECOMENDACIONES

Aquarelle O Toffee, Vapor & Olive
Aquarelle Mint Grey, Titanium Blue & Greige

V2 W

AQUARELLE

AQUARELLE 7,5x30 cm / 3"x12"

Vapor

Greige

Mint Grey

Toffee

Olive

Titanium Blue

AQUARELLE O 7,5x30 cm / 3"x12"

Vapor

Greige

Mint Grey

Toffee

Olive

Titanium Blue

AQUARELLE ROUNDED EDGE 1,1x30 cm / 0.43"x12"

Available in all Aquarelle Colours
Disponible en todos los colores de Aquarelle

Aquarelle O Toffee & Vapor

◂ **Aquarelle O** Toffee

Floor Tiles: **Love Affairs** Contempo Strip Natural

Aquarelle O Titanium Blue
Aquarelle Titanium Blue

Floor Tiles: **Mud** Old White

Aquarelle O Vapor ▸

◂ **Aquarelle O** Toffee
Aquarelle Toffee

Floor Tiles: **Abbey Stone** Rila

Aquarelle O Olive - 25%
Aquarelle Olive - 75%

Aquarelle O Greige ▸
Aquarelle Greige

Floor Tiles: **Tasserae** Suit Moss

Aquarelle O Titanium Blue
Aquarelle O Mint Grey

◂ **Aquarelle O** Titanium Blue
Aquarelle Titanium Blue

Aquarelle O Vapor
Aquarelle Vapor

Aquarelle O Vapor ▸
Aquarelle Vapor

◂ **Aquarelle O** Mint Grey
Aquarelle Mint Grey

Floor Tiles: **Solid** Chalk XL & L

Aquarelle O Greige
Aquarelle Greige

Aquarelle O Titanium Blue ▸
Aquarelle Titanium Blue

Floor Tiles: **Love Affairs** Concrete Strip Ash Grey

Aquarelle O Olive
Aquarelle O Greige

◂ **Aquarelle O** Olive

Floor Tiles: **Love Affairs** Concrete Crayon Ash Grey

Aquarelle O Mint Grey
Aquarelle Mint Grey

Aquarelle O Mint Grey - 16,7% ▸
Aquarelle Mint Grey - 83,3%

Floor Tiles: **Mud** Terra

Aquarelle O Toffee ▸

Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb >10%)

FEATURES / CARACTERÍSTICAS	SPECIFICATION / ESPECIFICACIÓN	NORMA
Dimensional Features	74 mm +/- 0,75 mm % x 300 mm +/- 0,5 %	UNE-EN ISO 10545-2:1998
Water absorption	>10%	UNE-EN ISO 10545-3:1997
Modulus of rupture and breaking strength	Thickness ≥ 7,5 mm mínimo 12 N/mm² Thickness < 7,5 mm mínimo 15 N/mm²	UNE-EN ISO 10545-4:2012
Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
Household products resistance	GA	UNE-EN ISO 10545-13:1998
Chemical resistance	GHA	UNE-EN ISO 10545-13:1998
Stain resistance	5	UNE-EN ISO 10545-14:1998
White Body	-	

			KG	M2		M2
Modelo	Formato (cm)	Piezas / Caja	Kg / Caja	m2 / Caja	Cajas / Palet	m2 / Palet
AQUARELLE	7,5x30 cm	24	7,31 kg	0,533 m²	132	70,356 m²
AQUARELLE O	7,5x30 cm	20	6,46 kg	0,444 m²	132	58,608 m²
ROUNDED EDGE	1,1x30 cm	10	0,39 kg	3,005 m	230	755,15 m

			LB	FT2		FT2
Model	Format (in)	Pieces / Box	Lb/ box	sq ft / Box	Boxes / Pallet	sq ft / Pallet
AQUARELLE	3"x12"	24	16.12 lb	5.737 ft²	95	414.105 ft²
AQUARELLE O	3"x12"	20	14.24 lb	4.779 ft²	138	650.67 ft²
ROUNDED EDGE	0.43"x12"	10	0.86 lb	9.859 ft	230	2,267.57 ft

Price code - Código de tarifa

MODEL / MODELO	PRICE CODE / CODIGO TARIFA
AQUARELLE	W07
AQUARELLE O	W14
AQUARELLE ROUNDED EDGE	WS3



BEFORE INSTALLING THE PRODUCT
The surface where the product is being installed must be clean and level.
It is recommended that the layout of the product is prepared before the final installation.
Make sure you choose an adhesive apt for the area where the product is being installed.
For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

The choice of quality grouting mortar is crucial.
We recommend Kerakoll Fugabella® Color.
(www.kerakoll.com)

TO ENHANCE YOUR WOW PRODUCT
In order to obtain the maximum WOW effect, use 1 mm - 0.039 in spacers between the tiles to maintain an even installation over the whole surface.
The colour of the grout should be as close as possible to the colour of your product.
Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

MAINTENANCE
Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product.
Avoid abrasive or acidic cleaning products.
It is recommended to clean with clear water.

Designed by

WOW

THORNTREE

natural stone • fine porcelain

©2022 Tendencias Cerámicas
WOW, registered trademark of Tendencias Cerámicas, S.L.

The brand use or reproduction of the contents of this catalog, is protected by copyright law. Any use of the brand or reproduction thereof, in part or total, must be authorized by Tendencias Cerámicas, S.L. Otherwise, this action can be sanctioned according to the Law.

WOW reserves the right to modify and/or discontinue certain models displayed in this catalogue.
The colour of the pieces displayed herein may differ slightly from originals.
The settings shown in this catalogue are design proposals for advertising purposes.
In real situations in wich the pieces are laid, the installation instructions published by WOW should be followed.

THORNTREE

natural stone • fine porcelain