


BONE, COAL, GREY,
HENNA, PINE, STEEL BLUE
TAN, VEGAN, WHITE GLOSSY



TESTING DATA

Water Absorption: >0.10%
Flexural Strength: 15 N/mm²
Frost Resistance: Not Resistant

Stain Resistance: Class 5
Slip Resistance: R9
DCOF: >0.42 Wet- Matte
DCOF: >0.52 Wet- Grip

APPLICATION

Floor: No
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No

Exterior Cladding: No
Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

PACKING

5" x 10" Bars- 13 pcs/ 4.37 sf
2" x 16" Dune- 30 pcs/ 6.46 sf
2" x 16" Coast- 54 pcs/ 11.63 sf

2" x 16" Hill- 30 pcs/ 6.46 sf
2" x 16" Liso- 56 pcs/ 12.06 sf
2" x 16" Valley- 54 pcs/ 11.63 sf

INFORMATION

Special trims available upon request. Please contact info@thorntreeslate.com for additional information.

DUNE, COAST, HILL, LISO, VALLEY

DUNE



COAST



HILL



LISO



VALLEY



TESTING DATA

Water Absorption: >0.10%
Flexural Strength: 15 N/mm²
Frost Resistance: Not Resistant

Stain Resistance: Class 5
Slip Resistance: N/A
DCOF: N/A

APPLICATION

Floor: No
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No

Exterior Cladding: No
Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

PACKING

2" x 16" Dune- 30 pcs/ 6.46 sf
2" x 16" Coast- 54 pcs/ 11.63 sf
2" x 16" Hill- 30 pcs/ 6.46 sf

2" x 16" Liso- 56 pcs/ 12.06 sf
2" x 16" Valley- 54 pcs/ 11.63 sf



TESTING DATA

Water Absorption: >0.10%
Flexural Strength: 15 N/mm²
Frost Resistance: Not Resistant

Stain Resistance: Class 5
Slip Resistance: N/A
DCOF: N/A

APPLICATION

Floor: No
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No

Exterior Cladding: No
Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

PACKING

5" x 10" Bars- 13 pcs/ 4.37 sf

INFORMATION

Special trims available upon request. Please contact info@thorntreeslate.com for additional information.