

ALMOND MIST, BURNT UMBER,
DUSTY ROSE, FROSTED LINEN,
GOLDEN SKY, MIDNIGHT SLATE,
SAHARA SAND, SALTWATER,
SILVERSTONE, SOFT SAGE



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: ≥ 350 lbf.
Frost Resistance: Resistant

Stain Resistance: NOT AFFECTED
Slip Resistance: IW+
DCOF: $\geq 0.42\%$ INTERIOR, WET

APPLICATION

Floor: YES
Shower/ Wet Areas: YES
Wall: YES
Countertop: NO

Exterior Cladding: YES
Exterior Countertop: NO
Exterior Tile: NO
Exterior Paver: NO
Coping: NO

INFORMATION

Special trims available upon request. Please contact info@thorntreeslate.com for additional information.

ALMOND MIST, BURNT UMBER,
DUSTY ROSE, FROSTED LINEN,
GOLDEN SKY, MIDNIGHT SLATE,
SAHARA SAND, SALTWATER,
SILVERSTONE, SOFT SAGE



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: ≥ 350 lbf.
Frost Resistance: Resistant

Stain Resistance: NOT AFFECTED
Slip Resistance: IW+
DCOF: $>0.42\%$ INTERIOR, WET

APPLICATION

Floor: YES
Shower/ Wet Areas: YES
Wall: YES
Countertop: NO

Exterior Cladding: YES
Exterior Countertop: NO
Exterior Tile: NO
Exterior Paver: NO
Coping: NO

INFORMATION

Special trims available upon request. Please contact info@thorntreeslate.com for additional information.

ALMOND MIST, BURNT UMBER,
DUSTY ROSE, FROSTED LINEN,
GOLDEN SKY, MIDNIGHT SLATE,
SAHARA SAND, SALTWATER,
SILVERSTONE, SOFT SAGE



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: ≥ 350 lbf.
Frost Resistance: Resistant

Stain Resistance: NOT AFFECTED
Slip Resistance: IW+
DCOF: $\geq 0.42\%$ INTERIOR, WET

APPLICATION

Floor: YES
Shower/ Wet Areas: YES
Wall: YES
Countertop: NO

Exterior Cladding: YES
Exterior Countertop: NO
Exterior Tile: NO
Exterior Paver: NO
Coping: NO

INFORMATION

Special trims available upon request. Please contact info@thorntreeslate.com for additional information.