

DENIM, DRIFT, LOOM,
MOSS, SAND, SUEDE, TWILL



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: $\geq 400\text{ lbf}$
Frost Resistance: Resistant

Stain Resistance: Resistant
ANSI A326.3+: Interior, Wet Plus (IW+)


APPLICATION

Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No
Exterior Cladding: Yes

Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

INFORMATION

Special trims available upon request. Please contact
info@thorntreeslate.com for additional information.



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: $\geq 400\text{ lbf}$
Frost Resistance: Resistant

Stain Resistance: Resistant
ANSI A326.3+: Interior, Wet Plus (IW+)


APPLICATION

Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No
Exterior Cladding: Yes

Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

INFORMATION

Special trims available upon request. Please contact
info@thorntreeslate.com for additional information.



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: $\geq 400\text{ lbf}$
Frost Resistance: Resistant

Stain Resistance: Resistant
ANSI A326.3+: Interior, Wet Plus (IW+)

APPLICATION

Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No
Exterior Cladding: Yes

Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

INFORMATION

Special trims available upon request. Please contact
info@thorntreeslate.com for additional information.



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: $\geq 400\text{ lbf}$
Frost Resistance: Resistant

Stain Resistance: Resistant
ANSI A326.3+: Interior, Wet Plus (IW+)


APPLICATION

Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No
Exterior Cladding: Yes

Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

INFORMATION

Special trims available upon request. Please contact
info@thorntreeslate.com for additional information.



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: $\geq 400\text{ lbf}$
Frost Resistance: Resistant

Stain Resistance: Resistant
ANSI A326.3+: Interior, Wet Plus (IW+)


APPLICATION

Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No
Exterior Cladding: Yes

Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

INFORMATION

Special trims available upon request. Please contact
info@thorntreeslate.com for additional information.



TESTING DATA

Water Absorption: $\leq 0.5\%$
Flexural Strength: $\geq 400\text{ lbf}$
Frost Resistance: Resistant

Stain Resistance: Resistant
ANSI A326.3+: Interior, Wet Plus (IW+)

APPLICATION

Floor: Yes
Shower/ Wet Areas: Yes
Wall: Yes
Countertop: No
Exterior Cladding: Yes

Exterior Countertop: No
Exterior Tile: No
Exterior Paver: No
Coping: No

INFORMATION

Special trims available upon request. Please contact
info@thorntreeslate.com for additional information.